
# rdovician EWS



IUGS COMMISSION ON STRATIGRAPHY COMMISSION ON ORDOVICIAN STRATIGRAPHY

No. 5 1987

INTERNATIONAL UNION OF GEOLOGICAL SCIENCES

President: W. W. Hutchinson (Canada)

Secretary General: R. Sinding-Larsen (Norway)

Treasurer: J. A. Reinemund (U.S.A.)

INTERNATIONAL COMMISSION ON STRATIGRAPHY

Chairman: J. W. Cowie (U.K.)

Secretary General: J. Remane (Switzerland)

INTERNATIONAL SUBCOMMISSION ON ORDOVICIAN STRATIGRAPHY

Bruno A, J. Baldis (Argentina)

Kuo Hungchun (China)

Christopher R. Barnes (Canada), Chairman Lu Yanhao (China)

Stig M. Bergström (U.S.A.)

Ralph Mannil (U.S.S.R.)

William B. N. Berry (U.S.A.)

Igor F. Nikitin (U.S.S.R.), Vice-Chairman

David L. Bruton (Norway)

Michel Robardet (France)

William T. Dean (U.K.)

Reuben J. Ross Jr. (U.S.A.)

M. Jacques Destombes (Morroco)

Sheng Hsinfu (China)

J. Keith Ingham (U.K.)

Barry D. Webby (Australia), Secretary

Valdar Jaanusson (Sweden)

Harry B. Whittington (U.K.)

Copyright (c) IUGS

Cover design by Reuben J. Ross III and Len Hay

# CONTENTS

Annual Report of the Subcommission on Ordovician Stratigraphy for 1986	3
In Memoriam	4
Titular Membership (SOS)	4
IUGS Ordovician correlation charts	4
Ordovician Chronostratigraphy Working Groups	5
Cambrian-Ordovician Boundary Working Group	9
Ordovician-Silurian boundary again	13
International and other relevant Symposia	14
Supplement to Directory of Ordovician workers	22
Current research and publications of	
Orgoatetail pheciatises	27
Bibliography	29
Other news	35

# NOTES FOR CONTRIBUTORS

Correspondence, reviews (and lists) of recent publications, brief summaries of current research, notices of relevant local, national and international meetings, and additions, deletions or changes to list of Ordovician workers will be welcomed.

Contributions should be in English, typed single spaced (double space between paragraphs) on white paper - print area should not exceed 18.5 x 26 cm. Copy should be mailed flat (with cardboard protector) to Barry Webby, Department of Geology and Geophysics, University of Sydney, N.S.W. 2006, Australia

Unless otherwise stated, Barry Webby is responsible for statements made in this issue of ORDOVICIAN NEWS

ANNUAL REPORT OF THE SUBCOMMISSION ON ORDOVICIAN STRATIGRAPHY

The Subcommission on Ordovician Stratigraphy reports the following activities for 1986.

# 1. Ordovician Correlation Chart Series

The subcommission continues its efforts to arrange a series of correlation charts for Ordovician strata in major regions of the world. This aims to establish the essential data base for later global analysis of Ordovician events, and chronostratigraphy. R. J. Ross Jr. continues to act as the Editor of the series.

One chart dealing with the regions of Kazakhstan and Middle Asia of the Soviet Union by Vice Chairman of the Subcommission, Igor Nitikin and his colleagues, has now been published as No. 21 of the IUGS publications (September 1986). Other sections dealing with the regions of Taimyr (L. V. Nekhorosheva and colleagues) and North-East and Far East of the USSR (L. M. Oradovskaya), have also been submitted and will be included with contributions from the remaining parts of the Soviet Union in a second important publication. Other charts nearing completion include South America, Central Europe, Norway and Sweden, North Africa and Greenland.

# 2. Ordovician Chronostratigraphy Working Groups

The six regional Ordovician Chronostratigraphy Working Groups continue to focus on problems of correlation and use of the various internal subdivisions of the Ordovician. Most progress during the past year has been again from China and also from North America. However, it seems that generally these working groups are not making fast enough progress on regional agreements to permit the fullest possible discussion of Ordovician chronostratigraphy, and some levels of international consensus to be achieved by August 1988, when the V International Symposium on the Ordovician System in St. John's, Newfoundland is held. We plan to try and stimulate much more activity during 1987 and through the first half of 1988.

# 3. Subcommission Newsletter

The fourth issue of 'Ordovician News' was printed and circulated in August and September 1986. This issue was larger than the previous three issues, being some 44 pages long. It was distributed to some 450 specialists and institutions, with the remaining 50 copies available for later distribution on request. The Secretary of the Subcommission continues to act as Editor.

# Participation in Cambro-Ordovician Boundary Working Group Meeting at Dayangcha, Hunjiang, Jilin Province, China, July 1986.

A number of members of the Subcommission, including the Chairman, Chris Barnes, attended the Dayangcha field excursion in July. A full report of this meeting will be provided independently by the Chairman of the Boundary Working Group, Dr. B. S. Norford.

# 5. Concluding remarks

It is anticipated that during the next eighteen months leading up to the V International Symposium on the Ordovician System there will be increased activity on Subcommission work, especially the preparation of discussion papers from the six Chronostratigraphy Working Groups. Hopefully also the world-wide compilations of Ordovician correlation charts under the Editorship of Reuben Ross Jr. will be nearing completion. At least one further issue of 'Ordovician News' will be published and distributed in 1987.

18 November, 1986.

#### IN MEMORIAM

We record with deep regret the loss of two distinguished Ordovician and Silurian workers - Dr Einar Klaamann, leading Baltic tabulate coral specialist of the Institute of Geology, Academy of Sciences, Estonian SSR, Tallinn, USSR who died on 11 July 1986 after a long illness, and Professor Mu Enzhi, foremost Chinese graptolite expert of the Nanjing Institute of Palaeontology & Geology who died suddenly in April 1987.

#### TITULAR MEMBERSHIP (SOS)

Recommendations from the President of the Palaeontological Society of China, Professor Lu Yanhao (dated 14 January 1987) are for the following three Chinese titular members - Dr Chen Xu, Nanjing Institute of Geology & Palaeontology, Academia Sinica (New), Dr Wang Xiaofeng, Yichang Institute of Geology & Mineral Resources, Ministry of Geology & Mineral Resources of China (New), and Prof. Lu Yanhao, also of the Nanjing Institute, Academia Sinica (Continuing). This proposal is supported by the Chairman (C. R. Barnes) and Secretary (B. D. Webby) and has been forwarded to the Chairman of the Commission of Stratigraphy for approval.

# IUGS ORDOVICIAN CORRELATION CHARTS

1. Kazakhstan and Middle Asia (Soviet Union Part 1). The first of the two Soviet Union correlation charts and explanatory notes was published in IUGS Publication No. 21 in September 1986. Authored by I. F. Nikitin, M. Apollonov, C. T. Tzaj, V. G. Koroljov, A. I. Kim, M. V. Erina, N. M. Larin and A. N. Golikov, this publication provides an invaluable 21 page text, 3 figures, and correlation charts, one of Kazakhstan and Kirgizia (39 columns) and the other of Middle Asia (13 columns). It is available from the Episodes Room 177, 601 Booth St. Ottawa, Canada KiA OEB, for \$7.50 (US) including postage. ISBN-0-930423-11-9.

- 2. South America. This major contribution was published as IUGS Publication No. 22 in February 1987. It was co-authored by F. G. Aceñolaza and B. Baldis (with the active cooperation of a further sixteen colleagues from different Latin American countries including Argentina, Brasil, Bolivia, Chile and Colombia), and comprises a 64 page text, 4 figures, and a 67 column correlation chart (in three sheets). ISBN 0-930423-12-7. This publication is also available from the Episodes Room (see above).
- 3. General. It is still hoped that Ordovician correlation charts for the Soviet Union Part 2 (contributions on Taimyr and the NE to Far East USSR have already been received), Scandinavia, Greenland, North Africa, Central Europe, India SE Asia will be produced to provide a near complete global coverage. Rube Ross is to be congratulated for his efforts in editing this series.

#### ORDOVICIAN CHRONOSTRATIGRAPHY WORKING GROUPS

# 1. General

Chris Barnes (Chairman) writes as follows:

"Nearly four years ago the Subcommission established a number of Ordovician Chronostratigraphy Working Groups (see attached list). Their defined mandate was to tackle several issues including but not necessarily restricted to:

- 1. The precise definition of each series.
- The occurrence and range of zonal fossils (especially graptolites, conodonts, shelly fossils) and the integration of different zonations.
- 3. The lithostratigraphy of series stratotype sections.
- The nature of lithologic and faunal change away from the local sections, i.e. regional variation.
- 5. Recognition of the major regional faunal breaks that may have international correlative value (if not already at the base of one or more series).
- 6. Whether, after considering the above, the series presently in use are still appropriate for international usage, i.e. should major series revisions be attempted in Britain or adopt series defined elsewhere.

"The progress of most of these Working Groups has been reported in ORDOVICIAN NEWS and has resulted in some published results. The work of the Groups was not necessarily to embark on new field and research projects but to examine previous and current data for their region. The ultimate objective was to compare these regional recommendations and establish a revised and properly defined Standard Ordovician chronostratigraphy.

- "I have been somewhat disappointed that results from some of the Groups have not been forthcoming earlier. However, the issue of Ordovician Chronostratigraphy will be a principal theme of the V International Symposium on the Ordovician System to be held in St. John's, Newfoundland, on August 9-12, 1988 (see the First Circular).
- "I propose the following schedule to try and reach a formal agreement to recommend to the IUGS Commission on Stratigraphy:
- August-December 1987. Ord. Chronostrat. Working Groups to complete internal discussions and draft recommendations.

1

- b) By December 31. 1987, draft recommendations to be sent to me.
- c) Through January-February, 1988, I will compile recommendations and attempt to formulate some draft proposals for the System.
- d) March, 1988, I will distribute those draft proposals to Titular Members, Corresponding Members, Working Group Members, and for publication in Summary form in ORDOVICIAN NEWS (and possibly EPISODES).
- April-June, general correspondence between members, preparation of brief position papers for circulation and discussion at the Ordovician System Symposium.
- f) I will arrange copying and packaging of position papers or new summaries from Working Groups to then be available to registrants at the meeting in St. John's, August 1988.
- g) From the formal position papers circulated, others presented orally, and workshop discussions we will hopefully arrive at or close to a consensus on a standard Ordovician chronostratigraphy.
- h) September-November, 1988, final revisions by Titular Members to a formal recommendation to IUGS (if reasonable agreement has been achieved in St. John's).
- i) December 1988. Formal submission of Subcommission recommendations to Commission on Stratigraphy for their internal consideration.
- Final approval by Commission and by IUGS prior to or at International Geological Congress, Washington, USA, August 1989.

"By 1988-89 a few more of the remaining Ordovician Correlation Charts will have been published to more firmly provide a global data base for Ordovician correlations.

"Please recognize that for university educators, text-books, regional geologists, preparation of maps and time scales it is desirable to have a standard Ordovician chronostratigraphy. This standard set of series may not be applicable worldwide and does not necessarily eliminate the need for some regional series terms. We do need to establish whether a single standard set of series can be achieved or whether a dual terminology is necessary to cover a) peri-Gondwanaland and cool water regions versus b) warm carbonate platform regions, given the severe faunal provincialism and difficulties of correlation between these two. A more complex formal arrangement of, say, five or six regional series classifications would be inappropriate particularly for non-Ordovician specialists. The critical questions that remain unanswered include:

- Where are the critical breaks or events in the Ordovician that could be used for series boundaries,
- b) how are these to be defined (e.g. faunally),
- c) where are appropriate stratotypes for the series boundaries,
- d) can we retain/modify existing Series names or are new ones required,
- e) is one standard set of series acceptable or is a dual terminology necessary,
- f) how many Series are appropriate,
- should there be a division into Upper and Lower or Upper, Middle and Lower and what are the boundaries,
- h) what supporting geochronologic, magnetostratigraphic, or chemostratigraphic data are relevant to these issues."

It is hoped that this proposed schedule will prove to be acceptable, and that a large number of Ordovician workers will attend the V International Symposium on the Ordovician System to be held in St. John's, Newfoundland in August 1988 (see copy of First Circular reproduced elsewhere in ORDOVICIAN NEWS) to participate in the wide-ranging discussions of issues aimed at leading to establishment of a properly-defined standard Ordovician chronostratigraphy.

# 2. Australasia

Roger Cooper reported on the 6th August 1987 as follows:

- (1) All the principal Ordovician workers in Australia and New Zealand have been contacted either directly or indirectly and invited to comment.
- (2) A questionnaire has been circulated to the following: R. A. Henderson,
- J. H. Shergold, B. J. Cooper, O. P. Singleton, A. J. Wright, C. Burrett, B. Stait,
- I. Stewart, H. E. Wilkinson, J. Lawrie, B. D. Webby, R. A. McTavish, M. R. Banks,
- L. Sherwin, VandenBerg and R. Cooper. Replies were received from Shergold,
- B. Cooper, Burrett, Stait, Webby, Sherwin, VandenBerg and R. Cooper.
- (3) These replies have been circulated to those undertaking summaries of the various sections:
  - R. A. Cooper La-Da interval, graptolite facies
  - A. H. M. VandenBerg Gi-Bo interval, graptolite facies
  - B. D. Webby Shelly facies (Tasman Fold Belt + Craton)

Summaries remain to be prepared and then collated into a final report by January 1988; details of draft recommendations will be forwarded to C. R. Barnes (Chairman) for the international compilation to be circulated to Titular, Corresponding and Working Group members before the V International Symposium on the Ordovician System to be held in St. John's, Newfoundland in August 1988. Additional data will be provided as by-products of the Bureau of Mineral Resources project to establish an Australian stratigraphic scale - the Ordovician being coordinated by Bob Nicoll - and a symposium being organised by the Australasian Association of Palaeontologists entitled 'Progress towards an Australian Geological Time Scale' to be presented at the Ninth Australian Geological Convention in Brisbane from 31 January - 5 February 1988.

# 3. Membership of Ordovician Chronostratigraphy Working Groups

# a. BRITAIN

Dr. W. T. Dean (Chairman) Department of Geology University College Cathays Park, Cardiff, CF1 1XL, Wales

Members: H. B. Whittington, R. A. Fortey, R. B. Rickards, A. W. A. Rushton and A. D. Wright

# b. NORTH AMERICA

Dr. A. Harris (Co-Chairman) U.S. Geological Survey U.S. National Museum E-501 Washington, D.C. 20560, USA Dr. J. Repetski (Co-Chairman) U.S. Geological Survey U.S. National Museum E-501 Washington, D.C. 20560, USA

Members: C. R. Barnes, S. M. Bergstrom, W. B. N. Berry, R. L. Ethington,

S. C. Finney, R. Ludvigsen, B. Norford, G. S. Nowlan, J. Riva,

R. J. Ross, Jr., P. M. Sheehan and W. C. Sweet

# c. BALTOSCANDIA

Dr. D. L. Bruton (Chairman) Paleontologisk Museum Sars gate 1 Oslo 5, Norway

Members: S. M. Bergström, B.-D. Erdtmann, V. Janusson, K. Larson, A. Lofgren, A. W. Owen and S. H. Williams

#### d. SOVIET UNION

Dr. I. Nikitin (Chairman) Geological Institute Academy Science Kasak SSR Kalinian 69-a, Alma Ata 480100 USSR

Members: N. J. Ancygin, M. K. Apollonov, A. V. Kanygin, A. I. Kim, R. Mannil, P. Misius, M. Oradovskaja, and L. E. Popov

# e. CHINA

Dr. Chen Xu (Co-chairman)
Nanjing Institute of Geology
& Paleontology
Academia Sinica
Chi-Ming-Ssu
Nanjing, People's Republic of China

Dr. Zhou Zhiyi (Co-Chairman)
Nanjing Institute of Geology
& Paleontology
Academia Sinica
Chi-Ming-Ssu
Nanjing, People's Republic of China

Members: Lu Yenhao and Mu Enzhi (Advisors), An Taixing, Chen Junyuan, Lai Caigen, Rong Jiayu, Wang Xiaofeng, Wang Zhihao, Xu Hankui and Yang Shengwu

# f. AUSTRALASIA

Dr. R. A. Cooper (Co-chairman) New Zealand Geological Survey P.O. Box 30368 Lower Hutt, New Zealand Dr. A. M. H. VandenBerg (Co-chairman) Geological Survey of Victoria 140 Bourke Street, Melbourne, Vic. 3000, Australia

Members: C. Burrett, B. Cooper, R. A. Henderson, J. Laurie, J. Shergold, B. Stait, I. Stewart and B. D. Webby

8

# CAMBRIAN-ORDOVICIAN BOUNDARY WORKING GROUP

The recent work of the IUGS Working Group on the Cambrian-Ordovician Boundary (Chairman, Brian Norford; Vice-Chairman, John Shergold and Secretary Jim Miller) is reproduced in full from their Circular 23 (September 1986):

# "1. Results of Formal Vote on Four Resolutions proposed at Calgary Meeting

Four resolutions passed informally at the July, 1985 meeting in Calgary were sent to the Voting Members for a formal vote. Partial results of the vote were sent to all members after the suggested deadline had passed, although 3 votes had not been received. One of these 3 votes was received several days after the deadline. Based on the preliminary results the Chairman determined that it would not be necessary for him to vote so as to break a tie, and so he abstained. One vote still has not been received, but this last vote is not necessary to obtain the sense of the Group. Voting Members were encouraged to comment on the resolutions, and these comments (slightly summarized in some cases) are reported here.

RESOLUTION 1: The group basically wishes to adopt the simple principle of driving a "golden spike" in a stratigraphic section as the method of selection of the boundary.

FOR: 12 AGAINST: 0 ABSTAIN: 0

# Comments from members

Ross feels that this resolution is very important.

Taylor and Whittington felt this resolution was unnecessary, being what we have been doing all along.

RESOLUTION 2: We resolve that we will select conodonts as the primary guide for a horizon close to but below the first influx of nematophorous graptolites.

FOR: 9 (Cooper, Cowie, Dean, Erdtmann, Kaljo, Lu, Miller, Shergold, Taylor)

AGAINST: 2 (Henningsmoen, Whittington)

ABSTAIN: 1 (Ross)

# Comments from members

Henningsmoen feels we should use conodonts and/or other fossils.

Miller feels that using conodonts as the primary guide should not mean that other fossil groups are to be ignored. The boundary must be placed at a horizon corresponding with (presumably) the lowest occurrence of some particular species of fossil. It is unlikely that we can choose a horizon marked by the lowest occurrences of important species of more than one fossil group, and thus one group must be chosen. If the horizon is to be marked by the lowest occurrence of a conodont, the relationship of this horizon to trilobite and graptolite zonal boundaries must not be ignored.

Ross feels that this resolution is a contradiction of Resolution 1. No one fossil group should be a primary guide, but all available fossil groups and their concurrent ranges must be used to carry the level of THE SPIKE from place to place.

Taylor feels that the most important part of the resolution is selecting conodonts as the primary guide, and that choosing a horizon close to but below the first influx of nematophorous graptolites is far less important.

Whittington feels we should use a variety of palaeo-biological criteria as guides to the horizon chosen, and not one particular group of fossils. This does not imply that we should not use conodonts, but that we should take into consideration other groups such as graptolites, trilobites and brachiopods as we select the horizon.

9

RESOLUTION 3: It is desirable that the stratotype section have potential for future study of paleomagnetism, geochemistry, and other nonbiological correlation tools. FOR: 8 (Cooper, Cowie, Dean, Erdtmann, Kaljo, Lu, Miller, Shergold) AGAINST: 4 (Henningsmoen, Ross, Taylor, Whittington) ABSTAIN: 0.

# Comments from members

Henningsmoen feels these nonbiological tools should not be the decisive factor in the selection of the stratotype section.

Ross says that opposing this resolution may seem like opposing motherhood, but Resolution 3 resulted in burdening a Phanerozoic problem with fruits of Precambrian desperation.

Shergold feels that for the stratotype to have the potential for such tools is not essential. Traditionally, we have employed biological correlation tools in the definition of Systemic boundaries. The Silurian-Devonian boundary, for example, is the most recent to have been biostratigraphically spiked. No consideration was given in that case to nonbiological tools in the final definition or selection of stratotype.

Taylor suggests that the resolution is meaningless as stated, being more a statement of religious faith than scientific resolve.

Whittington: Of course it is desirable that the selected section should have potential for future study along all kinds of lines, not simply those names. I have voted against this resolution because though these qualities are desirable, a decision on the selection of an horizon should not depend on them, but on palaeobiological criteria.

RESOLUTION 4: Yes---we accept a decision now that the Newfoundland region gives an acceptable section to serve as the international stratotype. The precise section and level to be selected by the Newfoundland geologists and recommended to the Working Group.

No---we wish to defer a decision until we know much more about the Chinese section at Dayangcha.

FOR: 4 (Cowie, Henningsmoen, Ross, Whittington) AGAINST 7 (Cooper, Dean, Erdtmann, Kaljo, Lu, Miller, Shergold) ABSTAIN: 1 (Taylor)

# Comments from members

Henningsmoen: Why wait longer: There is hardly a 100% ideal section.

Kaljo: The Calgary plenary session concluded that none of the sections is perfect, despite the large amount of work done. Because it is unlikely we will find a perfect section, it is high time to make decisions. At the moment the best section is Newfoundland, but I have voted "no" because we have started to consider Dayangcha and it would be unfair to stop before the studies are completed, and there is a concern about the graptolite sequence at Green Point, etc.

A few more words about Newfoundland. At Broom Point North there are together with the first Rhabdinopora flabelliformis flabelliformis and parabola the first Cordylodus intermedius, C. drucei, etc., and the last Cordylodus sp. Andres. The first Rhabdinopora ex. gr. flabelliformis (parabola mostly) are found below Hirsutodontus simplex (see Figure 9 of Calgary minutes).

Nearly the same sequence is observed at Broom Point South only <u>Cordylodus</u> intermedius began a bit earlier (Figure 10).

At Green Point (Figure 11) the assemblage of graptolites is quite different (ecology?) and I do think, a stratigraphically higher one. So, in general I agree with the interpretation of the sequence of graptolite faunas given by B. Erdtmann (p.13-14), perhaps his scheme is a bit overdetailed only.

In conclusion - the first <a href="Rhabdinopora">Rhabdinopora</a> assemblage (<a href="parabola">parabola</a> fauna) is distributed below the <a href="Cordylodus">Cordylodus</a> lindstromi Zone, in the very beginning of the <a href="Cordylodus">Cordylodus</a> sp. Andres Zone (this species was found in the <a href="Acerocare">Acerocare</a> Zone of Scandinavia and in the <a href="East Baltic below or at least in the lower part of the <a href="Cordylodus proavus">Cordylodus proavus</a> Zone (<a href="Sensus Sensus Sen

A reconsideration of graptolite and conodont data from Tallinn will be published in the Proceedings of the Academy of Sciences, Estonian SSR in August. The main conclusions are that the lowest graptolite and conodont zones are not very well documented, so that with certainty we can only conclude that the Rhabdinopora flabelliformis group appears not later than the Cordylodus intermedius Zone. At the level of the Cordylodus sp. Andres Zone we have found no graptolites, but we cannot exclude the possibility that the Rhabdinopora flab. sociale Subzone may be correlated, at least partly, with the Cordylodus proavus Zone.

Proceeding from these data and discussion, I prefer to have the Cambrian/ Ordovician boundary not higher than the base of the Cordylodus intermedius Zone

Ross: Given these choices I vote for a thoroughly studied and documented section over an uncertain product based on a TV show .....

Taylor: Resolution 4 implies that Newfoundland and Dayangcha are the only two sections that will be considered in future deliberations, despite Brian's meeting report which states otherwise.

Whittington: Assuming that voting for this resolution means accepting a decision that the Newfoundland region provides an acceptable section, I have voted for the resolution. Since there will be a meeting this summer to study the section in China at Dayangcha, then perhaps it would be better to defer a decision. My affirmative vote means that I consider the Newfoundland section is an extremely adequate one to serve as a stratotype.

# 2. Brief Report on the Conference at Dayangcha, China

"The Dayangcha Conference in late July 1986 was very successful and was attended by 7 Voting Members and numerous Corresponding Members. The field excursion provided adequate opportunity to examine the section and to collect samples. There was general agreement that the section had most of the characteristics necessary for a stratotype. The conodont succession is very like that in North America and Australia. Trilobites are recorded at many horizons, but are mostly non-cosmopolitan forms. Graptolites occur at several horizons and are thought to include very primitive planktic forms. Acritarchs are also recorded but presently have limited potential for correlation. The depositional environment seems not to be the shallow cratonic setting that some had anticipated, and most agreed that an outer shelf setting (as suggested last year at Calgary) is probably correct. There seems to be evidence for shallowing of the sea beginning

at the base of the Cordylodus proavus Zone to a shallow point a few meters higher, followed by deepening beginning at the base of the Pryxellodontus inornatus Subzone. Deepening apparently continues through several tens of meters of strata up to a few meters of reddish siltstones with graded bedding. Just above is the base of the Cordylodus intermedius Zone (" Hirsutodontus simplex Subzone), the horizon preferred by the Chinese for the Cambrian-Ordovician boundary. Slightly above are several conglomerate beds with exotic clasts and some glauconite beds. Above this sequence are the oldest graptolites and the base of the Cordylodus lindstromi Zone, preferred by some as a horizon for defining the boundary.

Considerable data were presented in a new book published by the Nanjing Institute, including descriptions of acritarchs, conodonts, graptolites, and trilobites, and geochemical, paleomagnetic, and sedimentological data. The volume has 410 pages and 98 plates.

There were three days of scientific meetings that culminated in an official business meeting of the Working Group. No formal motions were proposed. After considerable discussion there was a general consensus that a delay of eight to ten months was needed to allow resolution of the following points.

- 1. Foreign laboratories to process and study samples collected from the Dayangcha Section in July, 1986 to substantiate the results of the Chinese workers:
- 2. Dr. Kirschvink's (USA) laboratories to process and study samples collected from the Dayangcha Section in July, 1986 for paleomagnetism to provide preliminary data on the section's suitability for magnetic studies:
- 3. More extensive detailed sampling for conodonts in the Dayangcha Section to provide more refined biostratigraphic control establishing the base of the Cordylodus lindstromi Zone, the base of the C. intermedius Zone, and the age of the lowest occurrence of nematophorous graptolites (the newly discovered Rhabdinopora proparabola horizon);
- 4. Resolution of the controversy on the existence and extent of a stratigraphic hiatus some distance below the potential boundary site at Broom Point North, Newfoundland. This requires Drs. Barnes and Miller to reassess some conflicting conodont data,

# (3) Special issue of the Geological Magazine

A series of contributions based on papers read at the Calgary meeting in July 1985 are now being edited for publication in the Geological Magazine by B. S. Norford and B. D. Webby. A tentative list of titles is as follows:

Introduction Norford, B.S.: The International Working Group on the Cambro-Ordovician Boundary

Erdtmann, B-D.: The earliest Ordovician nematophorid grapto-Global Reviews lites: taxonomy and correlation.

> Miller, J. F.: Conodonts as biostratigraphic tools for redefinition and correlation of the Cambrian-Ordovician

Ripperdan, R. L., Kirschvink, J. L., Ma, G. G., Zhang, Z. C., Apollonov, M. K., Chang, R. Shih-Bin: Magnetostratigraphy of the Cambrian-Ordovician boundary.

Shergold, J. H.: Review of trilobite biofacies distributions at the Cambrian-Ordovician boundary.

Key-Sections

- Barnes, C. R.: The proposed Cambrian-Ordovician global stratotype and point (GSSP) in western Newfoundland, Canada.
- Chen Jun-Yuan, Gong We-Li, Li Hui-Ming, Lin Yao-Kun, Qian Yi-Yuan, Tao Xian-Chnog, Wang Ying Xi, Wang, Zong-Zhe, Yang Jie-Dong, Yin Lei-Ming, Zhang Jun-Ming: Cambrian-Ordovician Boundary Interval at Dayangcha, China.

Sections and Regions

- Other Important Acenolaza, F. G.: Progress on the Cambrian-Ordovician boundary transition in Latin America.
  - Apollonov, M. K., Chugaeva, M. N., Dubinina, S. V., Zhemchuzhnikov, V. G.: Batyrbay Section, South Kazakhstan, U.S.S.R. - potential stratotype for the Cambrian-Ordovician
  - Bruton, D. L., Koch, Leif, Repetski, J.E.: The Naernes section, Oslo Region, Norway: trilobite, graptolite and conodont fossils reviewed.
  - Kaljo, D., Heinsalu, H., Mens, K., Puura, I., Viira, V.: Cambrian-Ordovician Boundary Beds at Tonismagi, Tallinn, North Estonia.

# ORDOVICIAN - SILURIAN BOUNDARY AGAIN

As reported in the last issue of ORDOVICIAN NEWS, a volume entitled 'Ordovician-Silurian boundary - a global analysis' is currently being compiled and edited by L. R. M. Cocks and R. B. Rickards, and will be published in the near future as a substantial contribution in the Brit. Museum (Nat. Hist.) Bulletin Series. It should also be noted that in Vol. 20, no. 3 of Lethaia (July 1987), two articles raised certain concerns about the suitability of the newly ratified Ordovician-Silurian boundary stratotype at Dobs Linn section in Scotland. These papers are as follows:

- Berry, W. B. N., 1987. The Ordovician-Silurian boundary: new date, new concerns. Lethaia 20, 209-216.
- Lesperance, P. J., Barnes, C. R., Berry, W. B. N., Boucot, A. J. & Mu Enzhi, 1987. The Ordovician-Silurian boundary stratotype: consequences of its approval by the IUGS. Lethaia 20, 217-222.

# Another relevant paper is:

Wang Xiaofeng, Zeng Qingluan, Zhou Tianmei, Ni Shizhao, Xiang Liwen & Lai Caigen, 1986. Rediscussion on the division and correlation of the Ordovician-Silurian boundary. Bulletin of the Chinese Academy of Geological Sciences, 12, 157-178

# INTERNATIONAL AND OTHER RELEVANT SYMPOSIA AND FIELD TRIPS

A. V International Symposium on the Ordovician System, Newfoundland, August 1988



FIRST CIRCULAR AND CALL FOR PAPERS

Fifth International Symposium on the

# ORDOVICIAN SYSTEM

Global and regional syntheses including:

- Paleogeography and paleoclimatology
- Paleoceanography
- Magnetostratigraphy
- Chronostratigraphy and geochronology
- Biostratigraphy, bioevents and biogeography
- Event stratigraphy and tectonics
- · Trans-lapetus field trips

AUGUST 9-12, 1988 ST. JOHN'S, NEWFOUNDLAND CANADA

Sponsored by
SUBCOMMISSION ON ORDOVICIAN
STRATIGRAPHY (ICS/IUGS)
INTERNATIONAL COMMISSION ON
STRATIGRAPHY
IGCP PROJECT 216 — GLOBAL BIOEVENTS

# INVITATION

The International Symposium on the Ordovician System has been held previously at Brest, France (1971). Birmingham, UK (1974). Columbus, Ohio, USA (1977), and Oslo, Norway (1982). It has provided a forum to consider all global aspects of the Ordovician System. The meeting has also served for discussions and workshops of the IUGS Subcommission on Ordovician Stratigraphy and related groups.

The 1988 meeting will attempt to focus on global approaches to Ordovician problems. As such, papers on all topics relevant to reconstructing the Ordovician world are invited. The work of the Subcommission on Ordovician Stratigraphy, of IUGS Boundary Working Groups, of IGCP 216 (Global Bioevents) and other groups will also be covered in separate sessions.

A number of invited keynote papers will highlight the program as well as oral and poster presentations. Papers will be considered for a refereed proceedings volume but must be submitted at or prior to the meeting. Comprehensive field trips will be offered to display the magnificent trans-lapetus transect provided across the island of Newfoundland. This spans the clastic Avalon Zone in the east (Gondwanaland fragment), through the Gander Zone metaclastic sequences, through the oceanic-volcanic arc sequences of the central Dunnage Zone (lapetus Ocean), to the carbonate slope and platform facies of the Humber Zone (North American cratonic margin) with obducted Ordovician oceanic crust.

You are invited and encouraged to submit a paper, oral presentation, or abstract and to indicate your interest in a field excursion. A second circular will be sent to those responding to the first circular and to other interested persons.

# • TECHNICAL PROGRAM

Detailed worldwide study of Ordovician geology will be encompassed in the symposium. A principal objective will be to embrace all relevant data into reconstructing Ordovician paleogeography, and tectonic, eustatic, oceanographic and biologic events. Emphasis will be placed on global or regional syntheses and new concepts. Contributions emphasizing economic deposits are also encouraged.

The composition of the final program will depend partly on papers offered combined with keynote addresses. Preferred themes for the final proceedings volume will include:

- 1. Global paleogeography
- 2. Global paleoceanography
- 3. Global paleoclimatology
- 4. Major tectonic and geodynamic events
- 5. Eustasy and event stratigraphy
- Chronostratigraphy, chemostratigraphy, magnetostratigraphy, and geochronology
- 7. Biostratigraphy and bioevents
- 8. Biogeography and community evolution
- 9. Clastic and carbonate facies
- 10. Economic geology

# ORAL PRESENTATIONS

Most presentations will be of 15 minutes and 5 minutes discussion. Keynote talks will be twice this allocation. Two 35mm projectors will be available.

Abstracts are due February 1, 1988, and abstract forms will be included in the second circular or sent on request. Abstracts should be submitted on the special forms provided and shall be of approximately 250-300 words in length.

# PUBLICATION

A proceedings volume is anticipated from the symposium. Further details will be given in a later circular. Manuscripts must be submitted prior to or at the time of the meeting. A guide to authors will be provided to all those submitting manuscripts. A limited number of papers not read at the meeting may be considered for the publication. All papers will be refereed; not all papers may be published.

# • POSTER PRESENTATIONS AND EXHIBITS

Poster presentations, as opposed to oral presentations, are encouraged. Authors will be provided with a display space of approximately 1.5m x 2.5m and will be required to be present at their poster for one half-day session. A range of IUCS Ordovician Correlation Charts will be on exhibit. Specimens or special exhibits of any kind may be displayed provided that sufficient prior notice tby June 1, 1988i is provided.

# FIELD EXCURSIONS

Trans-lapetus field excursions will be arranged to examine Ordovician rocks from eastern to western Newfoundland (clastic, volcanic, and carbonate lacies and mineral deposits, covering a variety of paleotectonic terranes). Depending on response to this circular, a number of trips will be organized with different emphases. Most excursions will be approximately 5-8 days in duration with an estimated cost of about \$500-\$800 (Canadian), including meals, accommodation, transportation and guidebook. A half-day field excursion may be incorporated to the nearby Lower Ordovician clastic-iron ore units on Bell Island.

# A note from RUBE ROSS:

If anyone is planning to attend the Ordovician System Symposium in 1988 and would like to see the counterpart of the Newfoundland section as it was developed on the opposite side of the North American continent, I will consider showing them the Nevada and Utah sections. This could be before or after the meetings at St. John's. The cost would be about \$25/day for motel, \$20/day for food, and approximately (\$100/number of participants) for gasoline. Length of trip between 5 and 10 days. Please contact me, Reuben J. Ross Jr., Department of Geology, Colorado School of Mines, Golden, Colorado 80401, U.S.A.

# BUSINESS MEETINGS

Adequate time will be provided for discussion and business meetings of the Subcommission on Ordovician Stratigraphy, the Cambrian-Ordovician Boundary Working Group, IGCP Project 216 (Bioevents), including the Cambro-Ordovician and the Ordovician-Silurian Bioevent Working Groups, and similar organizations. Chairmen of such groups, or individuals, should formally request an appropriate time on the program for such meetings.

# SOCIAL EVENTS

Newfoundland is renowned for its informal hospitality. The intellectual discussions will be enhanced with a variety of social events guaranteed to provide a most enjoyable and productive visit to Newfoundland. We will also try to accommodate requests for earlier or later extensions to the meeting to discuss research matters or to examine Ordovician geology, whales, moose, or to dance the nights away with Newfoundland itgs.

For visitors outside of North America, other Ordovician specialists in Canada and the USA may be willing to organize special Ordovician field trips to other regions for interested groups, prior to or following the Ordovician System Symposium.

# CORRESPONDENCE

Please send all correspondence regarding the symposium to Dr. C.R. Barnes, V International Symposium on the Ordovician System, Department of Earth Sciences, Memorial University of Newfoundland, St. John's, NF A1B 3X5, Canada. Telephone: (709) 737-8143 — Telex: 016-4101.

Specific enquiries may be directed to members of the Organizing Committee:

Accommodation and Local Transportation: TOM CALON

> Exhibits and Posters: HENRY WILLIAMS

Field Trips: HAROLD WILLIAMS

Finance: ROBERTA ELLIS HAYES

Program and Publications: CHRIS BARNES

Registration: LARS E. FAHRAEUS

> Social Events: PAUL DEAN

Technical Services: HENRY WILLIAMS

- B. 28th International Geological Congress, Washington, D.C., 9-19 July 1989
- (1) There will be a series of Ordovician Subcommission and Cambrian-Ordovician boundary Working Group meetings scheduled during the Congress
- (2) On p.41 of the last issue of ORDOVICIAN NEWS (No. 4) a series of topics were suggested for the International Commission of Stratigraphy program of the Washington I.G.C. Some of the Symposia listed in the First Circular which may be of interest to Ordovician workers are:
  - Al-3 Paleoclimate
  - B2 Intercorrelations of time scales: biologic, radiometric magnetic and chemical
  - B4 The record of sea-level fluctuations
  - 35 Event stratigraphy
  - B7 Global distribution of Sauk cycle platform carbonates and siliciclastics (Late Proterozoic and Cambrian-Ordovician)
  - B8 Black shales and oceanic anoxia in the Paleozoic and Mesozoic
  - B10 Global changes indicated by stratigraphic boundaries
  - L4 Diversity at different levels
  - L7 Global biological events in earth history

 $\ensuremath{\mathtt{A}}$  symposium on a broad Lower Palaeozoic theme has also been suggested by C. R. Barnes

- (3) Field trips are listed in the First Circular as tentative; some will be cancelled depending on the number of responses. They include the following:
  - T125: Cambrian and Early Ordovician stratigraphy and paleontology,

    Basin and Range province
  - T133: Upper Ordovician and Silurian clastic sequences of the southern and central Appalachians
  - T161: Cambrian-Ordovician carbonate banks and siliciclastic basins of the Appalachians
  - [223: Silurian-Ordovician molasse deposits northern and west Virginia

Important dates: 2nd Circular January 1988
3rd Circular January 1989
Abstract deadline February 1989
Registration deadline June 1989

# Contact for further information:

Dr. Bruce B. Hanshaw, Secretary General P.O. Box 1001, Herndon, Virginia 22070-1001. U.S.A.

C. Murchison Symposium - an International Symposium on the Silurian System to be held at the University of Keele, U.K. from 28 March to 9 April 1989.

Contact M. G. Bassett, Dept of Geology, National Museum of Wales, Cardiff CF1 3NP, U.K., for further details.

# D. Meeting of the Geological Society of America, San Antonia, Texas, 11 November, 1986

Rube Ross reported a meeting of the Friends of the Ordovician at this GSA Meeting in November 1986, attended by 20 friends. He noted that abstracts of the position papers on the chronostratigraphic subdivision of the Ordovician System presented at the meeting of the Canadian Paleontology and Stratigraphy Seminar in September 1986 at Albany, N.Y., were made available for perusal. Attention was called to the appointment of Ed Landing as the successor to James Hall as the State Paleontologist of New York; Landing assembled a particularly notable program for that meeting.

# E. Meeting of the Geological Society of America, North-Central Section, St. Paul, Minnesota, April-May 1987.

Two highly successful symposia on Ordovician topics were held at this meeting. First, a symposium on "Ordovician radiations and faunal gradients", organised by Robert L. Anstey (Michigan State University), and sponsored by the Paleontological Society on 30 April, and secondly, a symposium on "Ordovician lithostratigraphy and biostratigraphy", organised by Robert E. Sloan (Univ. of Minnesota) and Dennis R. Kolata (Illinois Geological Survey), and sponsored by the Society of Economic Paleontologists and Mineralogists on 30 April to 1 May.

The following contributions were presented:

# Paleont. Soc. Symposium:

- J. Pojeta Jr. (U.S. Geological Survey, Washington D.C.): The first radiation of the Class Pelecypoda.
- A. I. Miller (Univ. of Cincinnati): Onshore-offshore patterns and the Ordovician radiation of the Bivalvia.
- P. M. Sheehan (Milwaukee Public Museum): The Foliomena Community life below the thermocline in the Late Ordovician.
- B. D. Webby (Univ. of Sydney): Onshore-Offshore community patterns in an Ordovician island-arc.
- R. L. Anstey, S. F. Rabbio, & M. E. Tuckey (Michigan State University): Major community gradients and biome patterning of the Late Ordovician epeiric sea in North America.
- J. L. Cisne & J. M. Nicholson (Cornel Univ., Ithaca): Gradient analysis of fossil assemblages as applied to microevolutionary studies.
- W. B. Leatham (Ohio State Univ., Columbus): Late Ordovician conodont distribution across the western North American continental margin, Eastern Great Basin.
- J. F. Pachut (Indiana-Purdo Univ., Indianapolis): Heritability and heterochrony in Ordovician bryozoans along an environmental gradient.
- G. D. Brown Jr. & E. J. Daly (Boston College, Chestnut Hill): Dillsboro Formation trepostome bryozoans: shallowing water and faunal change.
- H. J. Howe (Purdue Univ., West Lafayatte): Origin of the brachiopod genus Thaerodonta and its biogeographic dispersal.

# S.E.P.M. Symposium:

- R. E. Sloan (Univ. of Minnesota): Black River/Trenton extinction, paleooceanography and chronology of the Middle and Late Ordovician of the Upper Mississippi Valley.
- W. C. Sweet (Ohio State Univ.): Distribution and significance of conodonts in Middle and Upper Ordovician strata of the Upper Mississippi Valley region.

- S. M. Bergström (Ohio State Univ.), J. B. Carnes, J. C. Hall, W. Kurapkat, B. E. O'Neill: Mutual stratigraphical relations of some Middle Ordovician stadial and series stratotypes in the Appalachians based on conodont biostratigraphy.
- D. Prederick (Northern Illinois Univ., De Kalb), P. Loubere, R. Votaw: Regional variations of Middle Ordovician conodont assemblages in the Upper Midwest.
- C. E. Mitchell (State Univ. New York, Buffalo), & S. M. Bergström (Ohio State Univ.): A new and stratigraphically significant graptolite succession across the base of the Cincinnatian (Upper Ordovician) in Eastern Indiana.
- F. M. Swain (Univ. of Minnesota): Middle and Upper Ordovician Ostracoda of Minnesota and Iowa.
- W. F. Rice (Univ. of Minnesota): The brachiopod biostratigraphy of the Decorah Shale at St. Paul, Minnesota.
- E. P. Hedblom (Univ. of Minnesota): Biostratigraphy of trilobites from Middle Ordovician Platteville and Decorah Formations of Minnesota.
- T. J. Fresh (Univ. Washington, Seattle), D. R. Kolata (Illinois State Geol. Survey), J. C. Brower (Syracuse Univ.): Biostratigraphy and biogeography of Middle-Upper Ordovician echinoderms of the Upper Mississippi Valley region.
- J. C. Brower (Syracuse Univ.): Middle Ordovician crinoid assemblages from the Twin Cities area of Minnesota.
- R. J. Elias (Univ. of Manitoba): Biostratigraphy of Late Ordovician solitary rugose corals in the Upper Mississippi Valley Region.
- F. K. Lobdell (Univ. North Dakota): Distribution of Arthrostylidae (Bryozoa: Cryptostomata) in the Gunn Member, Stony Mountain Formation (Upper Ordovician), Manitoba and North Dakota.
- D. J. Kolata (Illinois State Geol. Surv.), W. D. Huff (Univ. Cincinnati), Joyce K. Frost: The Ordovician Deicke and Millbrig K-bentonite Beds: regional time lines and their application to analysis of paleoenvironments.
- J. T. Haynes (Univ. Cincinnati), W. D. Huff (Univ. Cincinnati), R. L. Hay (Univ. Illinois, Urbana), Compositional variations in the Middle Ordovician Deicke (T-3) and the Millbrig (T-4) K-bentonites in the southeastern United States.
- S. D. Samson (Univ. Minnesota), E. C. Alexander, Jr., (Univ. Minnesota), & P. R. Kyle (New Mexico Inst. M & T., Socorro), Chemistry, mineralogy and correlation of Ordovician bentonites.
- J. C. Matthews (Univ. Illinois, Urbana), & Mingchou Lee (Case Western Reserve Univ.): Mineralogy and regional pattern of episodic potassic alteration of Ordovician tuffs in the Upper Mississippi Valley.
- J. E. Conkin, J. Kubacko, Jr., N. A. Dugan (Univ. Louiseville), Ordovician (Late Blackriveran-Early Rocklandian) metabentonite correlation between Kentucky and the Upper Mississippi Valley.
- L. E. Cisneros (Univ. Illinois, Urbana): Regional paleoenvironmental and paleoecological analysis of Ordovician carbonate strata bounded by isochronous volcanic ashbeds in the Mid-continent.
- M. J. Kunk (U.S. Geol. Survey, Reston), A. M. Brusewitz (Geol. Surv. Sweden): 39Ar recoil in an I/S clay from the Ordovician "Big Bentonite Bed" at Kinnekulle, Sweden.
- J. R. Hatch (U.S. Geol. Survey, Denver), S. R. Jacobson (Chevron Oil, La Habra): Organic geochemistry and organic petrography of Middle Ordovician rocks, North-central and Midcontinent region, U.S.A.
- D. Dathe, M. P. Weiss (Northern Illinois Univ., De Kalb): Origin of corrosion surfaces in the Platteville and Galena Formations (Middle Ordovician) of the Upper Mississippi Valley.
- S. R. Schutter (Exxon Production Research Co., Houston), Revision of the global relative sea level curve for the Ordovician Period.
- R. F. Gildner, J. L. Cisne (Cornell Univ., Ithaca): Correlation of the Galena Group by cross-correlation of sea level curves.

- C. W. Byers (Univ. Wisconsin): The Cretaceous as the key to the Ordovician.
- W. B. Harrison, III (Western Michigan Univ.): Lower and Middle Ordovician lithostratigraphy and facies types - Central Michigan Basin.
- M. P. Carlson (Univ. Nebraska): Lithostratigraphy and correlation of the Ordovician in Nebraska and adjacent areas.
- M. E. Brookfield (Guelph Univ., Ontario): A Mid-Ordovician temperate carbonate shelf - the Black River and Trenton Limestone Groups (Caradocian) of Southern Ontario, Canada.
- B. L. Wilcer, J. R. Dodd (Indiana Univ.): Surface exposures of shallow, subtidal deposits of the Ordovician Plattville and Galena Groups of Kentland, Indiana.
- J. M. Mazzullo (Texas A & M Univ.), R. Ehrlich (Univ. South Carolina): The St. Peter Sandstone - aeolian sands deposited on a marine shelf during transgression.
- E. Larcinese, D. Brandt, E. Anderson (Eastern Michigan Univ.): Diagenesis of the Stonington and Big Hill Formations (Upper Ordovician), Northern Michigan.
- M. E. Johnson (Williams College, Williamstown), B. J. Witzkey (Iowa Geol. Survey): An ancient rocky shore on southeastern Hudson Bay (Manitoba, Canada) and the implications of its Late Ordovician microfauna.
- G. A. Ludvigson (Iowa Geol. Survey): Petrology of carbonate interbeds in the "Luana Beds" of the Upper Ordovician Dubuque Formation (Upper Galena Group), Upper Mississippi Valley.
- B. J. Witzke (Iowa Geol. Survey): Depositional cycles and facies in the Maquoketa Fm., Upper Ordovician of Iowa.
- D. Brandt, E. Anderson, E. Larcinese (Eastern Michigan Univ.): Petrography and depositional environments of the Upper Ordovician formations of Northern Michigan.

Excursions: Two Ordovician field trips were organized - on 29 April, a pre-Sessional day-trip to study the Middle Ordovician stratigraphy and paleontology of the Twin Cities (organized by Robert E. Sloan, William F. Rice, Eric Hedblom and James M. Mazzullo), and on 2-3 May, a post-sessional field excursion to examine the Middle and Late Ordovician lithostratigraphy and biostratigraphy of the Upper Mississippi Valley (organized by Robert E. Sloan and Dennis Kolata). Both of these excursions were exceedingly well run and provided participants with a very good understanding of these lowly indurated, Mid-Continental platform successions. There were good opportunities for collecting the faunas and sampling the bentonites in the sequence. Robert E. Sloan and his co-organizers are to be congratulated for making these excursions so instructive, and in providing contributions to an excellent guide book (in N. H. Balaban, Edit., 1987. Field trip guidebook for the Upper Mississippi Valley, Minnesota, Iowa and Wisconsin. Minnesota Geol. Survey - University of Minnesota, St. Paul, Minnesota 55114, Guidebook Series no. 15, iii + 105 pp., ISSN 0192-6268). A separate 232 pp volume, edited by Robert E. Sloan, and entitled 'Middle and Late Ordovician lithostratigraphy and biostratigraphy of the Upper Mississippi Valley' - see fuller details in Bibliography of this issue of ORDOVICIAN NEWS - became available for purchase, at a cost of U.S.\$26.50, during the meeting.

# F. IV Congreso Argentino de Paleontologia y Bioestratigrafia, Mendoza, 23-27 November, 1986

Dr. Matilde S. Beresi reports that the following program of talks was presented in the 'Simposio "Bioestratigrafia del Paleozoico inferior"', organized by Alfredo Cuerda:

A. Cuerda, C. Cingolani, R. Varela & O. Schauer: Cámbrico y Ordovícico en la precordillera de San Juan: Formación de los Sombreros. Ampliacion de su conocimiento bioestratigrafico.

- Osvaldo L. Bordonaro: Bioestratigrafía del Cámbrico inferior de San Juan, Argentina. Juan L. Benedetto, N. E. Vaccari & Zarela Herrera: El hallazgo de rocas cámbricas fosilíferas al oeste de Jáchal, provincia de San Juan.
- A. Cuerda & M. Alfaro: Las <u>Graptofaunas</u> de la formación Gualcamayo en su localidad Tipo, Precordillera de <u>La Rioja</u>.
- A. Cuerda: El género <u>Pseudisograptus</u> Beavis (<u>Graptolithina</u>) en el Ordovicico de la Sierra del Tontal, precordillera de San Juan.
- A. Cuerda: Graptolitos del techo de la Formacion San Juan, precordillera de San Juan. Silvio H. Peralta: Graptofaunas del Llanvirniano Inferior (Ordovicico) y Ludlowiano Inferior (Silúrico) en la Formación Rinconada, precordillera oriental de San
- Silvio H. Peralta: La graptofauna ordovicica de la Formación La Cantera, precordillera oriental de San Juan.
- Bruno A. J. Baldis & Silvia B. Gonzales: Australoharpes precordilleranus nov. sp. (Trilobita, Ptychopariida, Harpidae) del Ordovícico Inferior de la Sierra de Villicum (Provincia de San Juan, Argentina).
- Ricardo Astini, Juan L. Benedetto & Marcelo Carrera: La Fauna de trilobites de la Formacion Las Plantas (Ordovícico Tardio), precordillera de La Rioja, Argentina.
- Norberto E. Vaccari, Beatriz Waidfeld & Marcelo Carrera: Nuevos trilobites de la Formación San Juan (Ordovícico temprano), precordillera de San Yuan y La Rioja, Argentina.
- Cesar Ruben Monaldi & Miguel Angel Boso: Hailazgo de <u>Dalmanitina</u> (Trilobita) en la Formación Zapla del noroeste argentino. Implicancia cronológica.
- Juan L. Benedetto, Fernando Canas & Ricardo Astini: Braquiópodos y trilobites de la zona de transición entre las Formaciones San Juan & Gualcamayo en el área de Guandacol (La Rioja, Argentina).
- Juan L. Benedetto & Zarela A. Herrera: Braquiópodos del suborden Strophomenidina de la formación San Juan (Ordovícico temprano), precordillera argentina.
- Ruben Ignacio Fernandez: El hallazgo de fósiles ordovicios en la Formación "Calcáreo Carbonosa" de León-Voicán. Departamento de Tumbaya, Provincia de Jujuy, República Argentina.
- Teresa M. Sanchez: Le presencia de la familia Eopteriidae (Mollusca, Rostroconchia) en la Formación San Juan (Ordovicico inferior) de la Precordillera Argentina.
- Florencio Gilberto Acenolaza: El género Macrocystella (Cystoidea) en el Tremadociano de Salta y Jujuy.
- Alfredo M. Monetta & Silvia E. Martinez: Hallazgo de un conularido (Scyphozoa-Conulata) en el Silúrico Inferior de San Juan, Argentina.
- Maria C. Moya, Susana Malanca, Julio A. Monteros & Joes A. Salfity: Hallazgo de medusas en el Tremadociana inferior del norte argentino.
- Graciele N. Sarmiento: Hallazgo de Dasycladaceas (Algae, Clorophyta) en la Formación Las Aguaditas (Ordovicio), Opto. Jáchal, San Juan.
- Luis Padilha de Quadros: Ocorrencia de microfosseis (Acritarchae) ordovicianos na sub-bacia do alto Amazonas, Brasil.

21

# SUPPLEMENT TO DIRECTORY OF ORDOVICIAN WORKERS (Including changes of address)

# Individuals

E. Calvin Alexander Jr Univ. of Minnesota Dept Geology & Geophysics MINNEAPOLIS MN 55455 USA

Eric Anderson Eastern Michigan Univ. Dept Geography & Geology YPSILANTI MI 48197 USA

Gösta Armands Geologiska institutionen Stockholms Universitet S-106 91 STOCKHOLM Sweden

Mark Armstead Saint Cloud State Univ. 509 - 13th St. South ST CLOUD MN 56301 USA

Helje Aru Institute of Geology Acad.Sciences Estonian SSR Estonia pst. 7 TALLINI 200101 Estonian SSR

C. R. Barnes (Chairman) Sediment.& Marine Geosciences Geol. Survey of Canada 580 Booth St OTTAWA Ont.KlA 0E4 CANADA

John W. Bartley Hope College Dept of Geology HOLLAND MI 49423 USA

J. A. Bauer Dept Geology & Mineralogy Ohio State Univ. 125 S. Oval Mall COLUMBUS Ohio 43210 USA

Garmen Bauert Institute of Geology Acad.Sciences Estonian SSR Estonia pst. 7 TALLINN 200101 Estonian SSR

Heikki Bauert Institute of Geology Acad.Sciences Estonian SSR Estonia pst. 7 TALLINN 200101 Estonian SSR Loren C. Baumbach MCC 1501 Hennepin Ave MINNEAPOLIS MN 55403 USA

Wieslaw Bednarczyk Pracownia Strat. Paleozoiku Inst. Nauk Geologicznyk Polska Akad. Nauk Al Zwirki i Wigury 93 PO-02-089 WARSZAWA, Poland

S. Bengston CSEOL - Geology Gldg Univ. of California, K.A. LOS ANGELES CA 90024 USA

M. Beresi Alem 539-28 5500 MENDOZA Argentina

D. J. Bergstrom Minnesota Geol. Survey 2642 University Ave ST PAUL MN 55114 USA

K. O. Bjørlykke Institutt for Geologi Universitetet i Oslo P.O. Box 1047 Blindern N-0316 OSLO 3 Norway

R. Blodgett
Dept Geology
Oregon State University
CORVALLIS OR 97331 USA

Justin Blum Minnesota Pollution Control Agency 520 Lafayette Rd North ST PAUL MN 55155 USA

Danita Brandt
Eastern Michigan Univ.
Dept. Geography & Geology
YPSILANTI MI 48197 USA

Edmund C. Bray
Science Museum of Minnesota (retired)
923 Lincoln Ave
ST PAUL MN 55105 USA

D. E. G. Briggs
Dept of Geology
University of Bristol
BRISTOL 858 1RJ England

M. E. Brookfield Univ. Guelph Land Resource Science GUELPH Ont. Canada N1G 2W1

G. D. Brown, Jr Boston College Dept Geology & Geophysics CHESTNUT HILL MA 02167 USA

C. W. Byers Dept Geology & Geophysics Univ. of Wisconsin MADISON WI 53706 USA

Keith Carlson Gustavus Adolphus College ST PETER MN 56082 USA

M. P. Carlson Nebraska Geol. Survey 113 NH, Univ. of Nebraska LINCOLN NE 68588-0517 USA

J. A. Catalani High School District 99 IL 1436 Norfolk St DOWNERS GROVE IL 60516 USA

Kathy Catalani High School District 99 IL 1436 Norfolk St DOWNERS GROVE IL 60516 USA

B. Chatterton
Dept Geology
Univ. of Alberta
EDMONTON T6G 2E3 Canada

Mei-in M. Chou Illinois State Geol. Survey 615 E. Peabody Dr CHAMPAIGN IL 61820 USA J. L. Cisne Dept of Geological Sci. Cornell University ITHACA NY 14853 USA

C. K. Clausen
Inst. Historical Geology
& Paleontology

øster Volgade
DK-1350 COPENHAGEN K, Denmark

M. Coniglio Dept of Earth Sciences Univ. of Waterloo WATERLOO NZL 3G1 Canada

J. D. Conkin Univ. of Louisville Dept of Geology LOUISEVILLE KY 40292 USA

Joan E. Crockett Illinois State Geol. Survey 113 Natural Resources Bldg 615 East Peabody Dr CHAMPAIGN IL 61820 USA

David Dathe
Northern Illinois University
Dept of Geology
DEXALB IL 60115 USA

B. F. Dattilo Brigham Young Univ. 6C-356 South Wymont Tce PROVO UT 84604 USA

R. Dodd
Dept of Geology
Indiana Univ.
BLOOMINGTON IN 47405 USA

R. H. Dott, Jr Univ. Wisconsin - Madison Dept Geology & Geophysics MADISON WI 53706 USA

N. Eberz 27421 Sherlock Rd LOS ALTOS HILLS CA 94022 USA Robert Ehrlich Univ. of South Carolina Geology Dept COLUMBIA SC 29204 USA

B.-D. Erdtmann Inst. f. Geol. u. Paläont. Techn. Univ. Berlin Hardenberg Str. 42 D-1000 BERLIN 12. W.Germany

Wayne Freisatz Univ. of North Dakota P.O. Box 7207 GRAND FORKS ND 58202 USA

R. C. Frey
Dept Geology & Geography
Centenary College
SHREVEPORT LA 71134-1188 USA

Joyce K. Frost Illinois Geol. Survey Natural Resources Bldg 615 East Peabody Dr CHAMPAIGN IL 61820 USA

L. Gailite
VNIIMORGEO
5 V. Latsis St
RIGA 226318 USSR

A. J. Gerk SEPM 714 Third SW, MASON CITY IA 50401 USA

R. F. Gildner Cornell University 3134 Snee Hall ITHACA NY 14853 USA

Anne M. Graese Illinois State Geol. Survey Natural Resources Bldg 615 East Peabody Dr CHAMPAIGN IL 61820 USA

E, D. Gyllenhall Dept of Geophysical Sci. Univ. of Chicago 5734 S. Ellis Ave CHICAGO IL 60637 U.S.A. Han Nairen
Dept of Geology
Guilin College of Geology
GUILIN Guangxi
P.R. China

W. B. Harrison Dept of Geology Western Michigan Univ. KALAMAZOO MI 49008 USA

J. Hatch Mail stop 977 US Geol. Survey Box 25046 Denver Federal Center DENVER CO 80225 USA

B. Hayden
Dept of Geology
Univ. of Minnesota at Duluth,
DULUTH MN 55812 USA

J. T. Haynes Univ of Cincinnati Dept of Geology M-13 CINCINNATI OH 45221 USA

Raechel A. Heath
Dept of Geology
The University
DUNEE DD1 4HN Scotland

Linda Hinis Geoloogia Instituut Estonia pst. 7 200101 TALLINN, Estonian SSR

A. Hoffknecht
Inst & Museum Geologie
und Paläontologie
Goldschmidtstrasse 3
D-3400 GOTTINGEN West Germany

Rick Holasek St. Cloud State Univ. 626-11th St South, Apt 201, ST CLOUD MN 56301 USA

F. D. Holland, Jr Univ. of North Dakota Geology & Geol. Engr., GRAND FORKS ND 58202 USA Steven Holland Univ. of Chicago 5734 South Ellis Ave CHICAGO IL 60637

Peter Holterhoff Univ. of Nebraska Dept of Geology Bessey Hall LINCOLN NE 68588 USA

S. F. Huffman Univ. of Wisconsin - River Falls RIVER FALLS WI 54022 USA

George Huppert Univ. of Minnesota Dept of Geology MINNEAPOLIS MN 55113 USA

N. James
Dept Geological Sciences
Queen's University
KINGSTON Ont K7L 3N6 CANADA

James Jessop U.S. Bureau of Mines 5629 Minnehaha Ave MINNEAPOLIS MN 55417 USA

Zailing Ji, Dept. of Earth Sciences, Memorial Univ. of Newfoundland ST. JOHN's, Newfoundland Canada AlB 3X5

Jan Johansson Knällinge S-690 72 SKÖLLERSTA Sweden

M. D. Johnson Gustavus Adolphus College Geology Dept ST. PETER MN 56082 USA

Erika Jürgenson Inst. of Geology Acad. Sciences Estonian SSR Estonia pst. 7 TALLINN 200101 Estonian SSR S. Jusypiw, 20 Windsor Ave Ashton PRESTON Lancs FR2 1JD U.K.

A. King
Dept Geology
Univ. College of Swansea
SWANSEA W. Glam SA2 8PP
United Kingdom

M. A. Kleffner Dept Geology & Mineralogy Ohio State Univ. 125 S. Oval Mall COLUMBUS Ohio 43210 USA

Karen L. Kleinspehn Univ. of Minnesota Dept Geology & Geophysics MINNEAPOLIS MN 55455 USA

Joanne Kluessendorf Univ. of Illinois Dept of Geology 1301 W. Greet St URBANA IL 61801 USA

John Kubacko, Jr Univ. of Louiseville Dept of Geology LOUISVILLE KY 40292 USA

Eric Larcinese Eastern Michigan Univ. Dept Geography & Geology YPSILANTI MI 48197 USA

C. O. Levorson Paleontology Society P.O. Box 1 RICEVILLE IA 50466 USA

M. Lindström
Dept of Geology
Univ. of Stockholm
Kungstensgatan 45
S-113 86 STOCKHOLM Sweden

J. D. Long Univ. of Wisconsin - Madison 1215 W. Dayton St MADISON WI 53706 USA G. A. Ludvigson Iowa Geol. Survey Bureau 123 North Capitol St IOWA CITY IA 52240 USA

R. Ludvigsen R.R.1, Wren Road DENMAN ISLAND B.C. VOR 1TO Canada

C. Lundgren
Dept of Geology
Western Michigan Univ.
KALAMAZOO MI 49009 USA

Jorg Maletz Inst. Geologie und Paläont.der Tech. Universität Berlin Hardenbergstrasse 42 EB 10 D-1000 BERLIN 12 W.Germany

K. M. Massie-Ferch W G & N H S 3817 Mineral Point Road MADISON WI 53593 USA

Tonu Meidla Geoloogia Instituut Estonia pst. 7 200101 TALLINN Estonian SSR

Peter Meyer
Inst./Museum für Geologie
£ Paläontologie
Goldschmidtstrasse 3
D-3400 GÖTTINGEN W.Germany

M. D. Middleton Univ. of Wisconsin-River Falls Dept Plant & Earth Science RIVER FALLS WI 54022 USA

P. Mierzejewski
Inst. Paleobiology
Graptolite Laboratory
Polska Akademia Nauk
Newelska 7
PL-01-447 WARSZAWA Poland

P. D. Middleton
Dept Geological Sciences
University of Liverpool
P.O. Box 147
LIVERPOOL 169 3BX England

T. J. Millen Northern Illinois Univ. Dept of Geology DEKALB IL 60115 USA

A. I, Miller Univ. of Cincinnati Dept of Geology, 105 Old Tech CINCANNITI OH 45221 USA

C. E. Mitchell State Univ of N.Y. - Buffalo Dept. Geology 4240 Ridge Lea Rd AMHERST NY 14226 USA

Z. Modlinski Instytut Geologiczny ul Rakowiecka 4 PL-00-975 WARSZAWA Poland

Eric Mohring Minnesota DNR 500 Lafayette Rd ST PAUL MN 55155-4032 USA

J. L. Mohs St Cloud State Univ, Dept Earth Science 626 - 11th St. So. ST CLOUD MN 56301 USA

D. M. Moore Knox College, P.O. Box 53 GALESBURG IL 61401 USA

J. M. Mossler Minnesota Geol. Survey 2642 University Ave ST PAUL MN 55114 USA

Maria Nehring-Lefeld Instytut Geologiczny ul Rakowiecka 4 PL-00-974 WARSZAWA, Poland

L. V. Nekhorosheve Vniiokeangeologia Moika 120 LENINGRAD 190121 USSA D. Nickerson 809 South Damen Ave Apt 606 CHICAGO IL 60612 USA

R. C. Nielsen F.C.C. Twin Cities Army Ammun. Plant NEW BRIGHTON MN 55112

Jaak Nolvak Institute of Geology Estonia pst. 7 200101 TALLINN Estonian SSR

Ulf Nordlund
Paleontologiska institutionen
Box 558
S-751 22 UPPSALA Sweden

Tonis Oja Institute of Geology Academy of Sciences Estonia pst. 7 200101 TALLINN Estonian SSR

D. R. Olsen
Utah International Inc
20W - 2950 So,
SALT LAKE CITY UT 8411 USA

N. D. Opdyke
Dept of Geology
Univ. of Florida
1112 Turlington Hall
GAINESVILLE, Florida 32611 USA

J. F. Pachut Indiana Univ. - Purdue Univ. Dept of Geology 425 Agnes St INDIANAPOLIS IN 46202-2806

J. Paskevicius Dept Geology & Mineralogy Vilnius State University Ciurlionio 21/27 232 009 VILNIUS Lithuanian SSR

Mark Patzkowsky Univ. of Chicago Dept of Geophysical Sciences CHICAGO IL 60637 USA G. K. Pedersen Inst for almen Geologi Øster Voldgade 10 DK-1350 KØBENHAVN K DENMARK

Vivianne Philip Övre Slottsgatan 11C S-752 35 UPPSALA Sweden

Ivor Puura Institute of Geology Acad. Sciences Estonian SSR Estonia pst. 7 200101 TALLINN, Estonian SSR

Väino Puura Institute of Geology Acad. Sciences Estonian SSR Estonia pst. 7 200101 TALLINN Estonian SSR

Frank Rabbio Michigan State Univ. Dept Geological Sciences EAST LANSING MI 46824-1115 USA

D. M. Ramsay
Dept of Geology
The University
DUNDEE DD1 4HN Scotland

J. A. Rasmusaen Inst hist. Geol. & Palaeont. Kobenhavns Universitet Øster Voldgade 10 DK-1350 KØBENHAVN K, Denmark

W. F. Read, Geology Dept Lawrence Univ. APPLETON WI 54912 USA

B. Rice
Dept Geology & Geophysics
Univ. of Minnesota
108 Pillsbury Hall
MINNEAPOLIS MN55455 USA

J. A. Sanderman
Dept of Earth & Space Sciences
Indiana Univ.-Purdo Univ. at
Fort Wayne
FORT WAYNE IN 46805 USA

M. L. Sargent Illinois State Geol. Survey 615 East Peabody Dr CHAMPAIGN IL 61820

Jordon Schoenberg U.S. Geological Survey 702 Post Office Bldg

ST PAUL MN 55101 USA

M. E. Schoenberg U.S. Geological Survey 702 Post Office Bldg ST PAUL MN 55101 USA

M. K. Schulmeister 208W John #2 CHAMPAIGN IL 61820 USA

G. A. Schumacher Ohio Div. Geological Survey 4383 Fountain Square Bldg B COLUMBUS OH 43224 USA

S. R. Schutter Exxon Production Research Co P.O. Box 2189 HOUSTON TX 77252-2189 USA

K. Shubak Geosciences Dept Univ. Wisconsin-Platteville PLATTEVILLE WI 53818 USA

S. E. Speyer Dept Geology Univ. of Alberta EDMONTON T6G 2E3 Canada

B. Stait & K. Kenna STE Group, Legisl. Res. Serv. Dept of the Library Parliament House CANBERRA ACT 2600 Australia

Andrew Start U.S. Geological Survey 702 Post Office Bldg ST PAUL MN 55101 USA J. R. Stark U.S. Geological Survey 702 Post Office Bldg ST PAUL MN 55101 USA

Svend Stouge Danmarks Geologiske Undersegelse Thoravei 31 DK-2400 KØBERHAVN NV. Denmark

Sven Stridsberg Geologiska institutionen Sölvegatan 13 S-223 62 LUND Sweden

Ulf Sturesson Paleontologiska institutionen Box 558 S-751-22 UPPSALA Sweden

T. Straw Dept of Geology Western Michigan Univ. KALAMAZOO MI 49008 USA

Heinrich Toots C.W. Post College Dept of Geology & Geography GREENVALE NY 11548 USA

R. A. Trevail Petroleum Resources Section Ministry of Natural Resources Box 5463, 659 Exeter Rd LONDON Ont.N6A 4L6 Canada

Milchael Tulkey Michigan State Univ. Geology Dept EAST LANSING MI 48824 USA

Rita Ulst VNIIMORGEO 5 V. Latsis St RIGA 226318 USSR

J. B. Van Alstine Univ. of Minnesota - Morris Geology Dept MORRIS MN 56267 USA

H. Van Iten Univ. of Michigan Museum of Paleontology ANN ARBOR MI 48109 USA

R. Van Itan Univ of Michigan Museum of Paleontology ANN ARBOR MI 48109 USA

C. P. Weibel Illinois State Geol. Survey 615 E. Peabody Dr CHAMPAIGN IL 61820 USA

M. P. Weiss Northern Illinois Univ. Dept of Geology DeKALB IL 60115 USA

Betty Wheeler Univ. of Minnesota Dept of Geology MINNEAPOLIS MN 55455 USA

K. Witthuhn 533 Helen St N. HUDSON WI 54016 USA

J. Wright Dept of Geology Arizona State University TEMPE Arizona 85281 USA

Jutta Wöltie Inst./Museum Geologie & Pëlont. Goldschmidtstrasse 3 D-3400 GÖTTINGEN, W.Germany

809 South Damen Ave Apt 1317B CHICAGO IL 60612 USA

CURRENT RESEARCH AND PUBLICATIONS OF ORDOVICIAN SPECIALISTS (additional to those included in ORDOVICIAN NEWS Nos 2, 3 and 4)

#### BRITISH ISLES

Alan W. Owen (Univ. Dundee, Scotland) provides the following list of his publications:

- 1985 Owen, A. W. Trilobite abnormalities. Trans. Roy. Soc. Edinb.: Earth Sci. 76: 255-272
- 1986 Owen, A. W., Tripp, R. P. & Morris, S. R. The trilobite fauna of the Raheen Formation (Upper Caradoc), Co. Waterford, Ireland. Bull. Br. Mus. Nat. Hist. (Geol.), 40, (3), 91-122
- 1986 Harper, D. A. T. & Owen, A. W. A shelly biofacies from the graptolitic mudstones of the Lower Balclatchie Group (Lower Caradoc) near Laggan, Girvan district, Scottish Journal of Geology 22, 371-383.
- 1986 Owen, A. W. The uppermost Ordovician (Hirnantian) trilobites of Girvan, S.W. Scotland with a review of coeval trilobite faunas. Trans. Roy. Soc. Edinb.: Earth Sci. 77: 231-239
- 1987 Owen, A. W. The Scandinavian Middle Ordovician trinucleid trilobites. Palaeontology 30: 75-103, pls 11-14.

# CANADA

Rolf Ludwigsen indicates that from the end of 1987 he will be leaving the University of Toronto for a different, "non-professorial life on the west coast" (see address elsewhere in this issue). His "interest in matters paleontologic will, of course, continue (albeit at a slower pace)" and he is "currently wrapping up the following trilobite projects:

Sunwaptan (Upper Cambrian) trilobites of the Cow Head Group, western Newfoundland (with Steve Westrop and Cecil Kindle). Submitted in early June to Palaeontographica Canadiana.

Silurian trilobites of northern Yukon Territory (with Ron Tripp). To be submitted to Royal Ontario Museum

Ontogeny and phylogeny of two Ordovician cheiruracean trilobites (with David Kopaska-Merket). To be submitted to Royal Ontario Museum."

# BALTOSCANDIA

In the April 1987 issue of the Newsletter of the Working Group on Ordovician Geology of Baltoscandia (WOGOGOB) Professor Maurits Lindstrom (Dept of Geology, Univ. of Stockholm, S-106 91 Stockholm, Sweden) presented a most useful 25 page outline of recent progress and proposals for new directions in studies of the Baltoscandian Ordovician. He also provided a comprehensive list of members, their addresses and activities. Names and addresses of those not already receiving ORDOVICIAN NEWS have been added to the preceding supplement to the Directory of Ordovician workers. Their names and current research supplements information included in ORDOVICIAN NEWS No. 4, and are listed below:

# SWEDEN

- Lund University: P. Ahlberg agnostid trilobites
  - K. Larsson ostracodes, tentaculitids, cornulitids
  - K. Lindholm graptolites, correlation
  - A. Lofgren conodonts
  - S. Stridsberg cephalopods

Sveriges Geologiska Undersökning, Uppsala: Y. Grahn - Chitinozoa

Uppsala University: U. Nordlund - sedimentology, phosphogenesis

U. Sturesson - ooids

Stockholm University: M. Lindström - carbonate facies, conodonts

G. Armands - geochemistry

Swedish Museum of Nat. Hist., Stockholm: V. Jaanusson - stratigraphy, trilobites

H. Mutvei - cephalopods

Unattached, Sweden: J. Johansson (Sköllersta) - local stratigraphy

V. Philip (Uppsala) - echinoderms, glauconite

ESTONIA (USSR)

# Academy of Sciences, Estonian SSR, Tallinn:

H. Aru - trilobites

G. Bauert - chitinozoa, graptolites

H. Bauert - oil shale sedimentology, geochemistry

L. Hints - articulate brachiopods, echinoderms

E. Jürgenson - metabentonites

S. Magi - lithostratigraphy, acid resistant fauna

T. Meidla - ostracodes

J. Nolvak - chitinozoans, biostratigraphy

T. Oja - phosphatic rocks

L. Polma - lithology, facies

I. Puura - inarticulate brachiopods

V. Puura - 'Obolus sandstone' project

L. Sarv - ostracodes

LITHUANIA (USSR)

Vilnius State University, Vilnius: J. Paskevicius - graptolites, brachiopods

LATVIA (USSR)

Vniimorgeo, Riga: L. Gailite - trilobites, ostracodes, chitinozoans

R. Ulst - graptolites, conodonts

POLAND

Institute of Geological Science, Polska Akademia Nauk, Warszawa:

W. Bednarczyk - conodonts, inarticulate brachiopods

Institute of Paleobiology, Polska Akad. Nauk, Warszawa:

P. Mierzejewski - graptolites

Institute of Geology, Warszawa: J. Modlinski - trilobites, graptolites

M. Nehring-Lefeld - conodonts

GERMANY

Technische Universität Berlin: B-D. Erdtmarm- graptolites, acritarchs, organic

J. Maletz - graptolites

O. Schmidt - graptolites

Gottingen Universität: A. Hoffknecht - organic maturity studies/graptolites

P. Meyer - lithostratigraphy and facies

J. Wötje - conodonts

DENMARK

University of Copenhagen: M. Bjerreskov - graptolites

C. K. Clausen - maturity analysis, acritarchs

G. K. Pedersen - shale sedimentology

J. A. Rasmussen - conodonts

Danmarks Geologiske Undersøgelse, Copenhagen: S. Stouge - conodonts, trilobites

acritarchs

NORWAY

Universitetet Oslo: D. Bruton - trilobites, brachiopods

G. Henningsmoen - trilobites

N. Spjeldnaes - stratigraphy, bryozoans

K. O. Bjorlykke - geochemistry

BRITAIN

University of Liverpool: P. J. Bretchley - carbonate mud mounds

P. D. Middleton - carbonate mud mounds

University of Dundee: R. A. Heath - sedimentology of Ordovician-Silurian boundary

A. Owen - lithostratigraphy, trilobites

D. M. Ramsay - Caleodinide evolution

University College, Galway: D. A. T. Harper - brachiopods

U.S.A.

Ohio State University: S. Bergstrom - conodonts

CANADA

Memorial University, Newfoundland: L. E. Fahraens - conodonts

BIBLIOGRAPHY

A. BOOKS

Sloan, R. E. (ed.) 1987. Middle and Late Ordovician lithostratigraphy and biostratigraphy of the Upper Mississippi Valley.
Minnesota Geological Survey - University of Minnesota, Report of Investigations no. 35, v + 232 pp. ISSN 0076-9177.

(price U.S.\$26.50)

Table	of	contents	of	the	Sloan	book	is	as	follows

FOREWORD, Priscilla C. Grew	Page
PREFACE. Robert E. Sloan	
	1
HISTORY OF STUDY OF THE MIDDLE AND LATE ORDOVICIAN ROCKS OF THE UPPER MISSISSIPPI VALLEY, Robert E. Sloan	3
TECTONICS, BIOSTRATIGRAPHY AND LITHOSTRATIGRAPHY OF THE MIDDLE AND LATE ORDOVICIAN OF THE UPPER MISSISSIPPI VALLEY, Robert E. Stoan	7
LITHOSTRATIGRAPHY OF THE PLATTEVILLE, GALENA AND MAQUOKETA GROUPS IN NORTHERN ILLINOIS,  Dennis R. Kolata	21
GENERAL SECTION OF THE MIDDLE AND LATE ORDOVICIAN STRATA OF NORTHEASTERN IOWA, Calvin O. Levorson, Arthur J. Gerk, Robert E. Sloan, and Lynne A. Bisagno	25
MIDDLE AND UPPER ORDOVICIAN STRATIGRAPHY IN THE IOWA SUBSURFACE, Brian J. Witzke	40
THE ST, PETER SANDSTONE OF SOUTHEASTERN MINNESOTA, James H. Mazzullo and Robert Ehrlich	44
THE ST. PETER FAUNA, Robert E. Sloan	50
CHEMICAL CORRELATION OF K. BENTONITE BEDS IN THE MIDDLE ORDOVICIAN DECORAH SUBGROUP, UPPER MISSISSIPPI VALLEY, Dennis R. Kolata, Joyce K. Frost, and Warren D. Huff	52
CORRELATION OF ORDOVICIAN K-BENTONITES BY PHENOCRYST CHEMISTRY, Scott D. Samson, Philip R. Kyle, and E. Calvin Alexander, Jr.	57
CORROSION SURFACES IN THE PLATTEVILLE AND GALENA STRATA OF SOUTHEASTERN MINNESOTA, David Dathe	. 59
THE WAGNER QUARRY CYSTOID BED: A STUDY IN PROSSER (SHERWOOD) PALEOECOLOGY, Robert E. Sloan and David A. DesAutels	60
PLATTEVILLE AND DECORAH TRILOBITES FROM ILLINOIS AND WISCONSIN, Lawrence Lynch DeMoii, edited by Robert E. Sloan, Frederick C. Shaw, and Ronald P. Tripp	63
MIDDLE AND UPPER ORDOVICIAN OSTRACODA OF MINNESOTA AND IOWA, Frederick M. Swain	99
OSTRACODA OF THE SUPERFAMILIES DREPANELLACEA, HOLLINACEA, LEPERDITELLACEA, AND HEALDIACEA FROM THE DECORAH SHALE OF MINNESOTA, Frederick M. Swain and James R. Comell	. 102
BRACHIOPODS AND TRILOBITES OF THE SARDESON BEDS IN THE TWIN CITIES, William F. Rice and	
Eric P. Hedblom	. 131
THE SYSTEMATICS AND BIOSTRATIGRAPHY OF THE BRACHIOPODA OF THE DECORAH SHALE AT ST. PAUL, MINNESOTA, William F. Rice	136
DISTRIBUTION AND SIGNIFICANCE OF CONODONTS IN MIDDLE AND UPPER ORDOVICIAN STRATA OF THE UPPER MISSISSIPPI VALLEY REGION, Walter C. Sweet	167
BRYOZOA FROM ROCKLANDIAN (MIDDLE ORDOVICIAN) ROCKS OF THE UPPER MISSISSIPPI VALLEY REGION, Olgerts L. Karklins	173
THE MIDDLE ORDOVICIAN CRINOID FAUNA OF THE TWIN CITIES AREA, James C. Brower	. 177
UPPER MISSISSIPPI VALLEY CHAMPLAINIAN AND CINCINNATIAN ECHINODERMS, Dennis R. Kolata, James C. Brower, and Terrence J. Frest	179
ORDOVICIAN PELECYPODS FROM THE UPPER MISSISSIPPI VALLEY, John Pojeta, Jr.	
STRATIGRAPHIC RANGES OF MIDDLE AND LATE ORDOVICIAN GASTROPODA AND MONOPLACOPHORA OF MINNESOTA, Robert E. Sloun and Gerald F. Webers	
BIOSTRATIGRAPHY OF THE MIDDLE AND LATE ORDOVICIAN CEPHALOPODS OF THE UPPER MISSISSIPPI VALLEY AREA, John A. Catalani	
BIOSTRATIGRAPHY OF LATE ORDOVICIAN SOLITARY RUGOSE CORALS IN THE UPPER MISSISSIPPI VALLEY REGION, Robert J. Elias.	
TRACE FOSSILS FROM MIDDLE ORDOVICIAN PLATTEVILLE FORMATION, Kayo Dokken	
DESCRIPTION OF MAJOR OUTCROPS IN MINNESOTA AND JOWA, Robert E. Sloan, Dennis R. Kolata, Brian J. Witzke, and Gregory A. Ludvigson	. 197
REFERENCES CITED	
ORDOVICIAN TIME SCALE, Robert E. Sloan	. 232

This book provides an exceedingly useful, up-to-date summary of the Middle-Late Ordovician stratigraphy and faunas of part of the North American Midcontinental Platform, and with its vertical continuity of sequence, rich faunas, conodont assemblages, low thermal alteration and interlayered radiometrically-dated volcanic ash beds is likely to be of considerable chronostratigraphic importance, expecially in future discussions of the subdivision of the Middle-Late Ordovician stratigraphic interval.

- Benson, D. J., & Stock, C. W., 1986. Depositional history of the Middle Ordovician of the Alabama Appalachians. 23rd Annual Field Trip, Alabama Geological Society, 21-22 November, 1986. 120 pp. (Copies available from Alabama Geological Society, P.O. Box 6184, University, Alabama 35486).
- Benson, D. J. & Stock, C. W., 1986. A Field Trip. Shelf to basin transition in Middle Ordovician Carbonates of the Alabama Appalachians. American Association of Petroleum Geologists, Annual Meeting 13-15 June, 1986, 79 pp.
- Hughes, C. P. & Rickards, R. B. (Eds) 1986. Palaeoecology and Biostratigraphy of Graptolites. Geological Society of London, Special Publication no. 20, ix + 277 pp. ISBN 0-632-01071-1 (Proceedings of the 2nd International Conference of the Graptolite Working Group of the International Palaeontological Association held at Cambridge University, 1-15 September 1981).
- Snelling, N. J. (ed.), 1985. The Chronology of the Geological Record. Geological Society of London, Memoir, no. 10, v + 343 pp. ISBN 0-632-01285-4 (Contains important Ordovician time scale contributions by McKerrow, W. S., Lambert, R. St.J., & Cocks, L. R. M., by Gale, N. H., by Kunk, M. J., Sutter J., Obradovich, J. D. & Lamphere, M. A., and by Odin, G. S.).

# B. PAPERS:

- Aceñolaza, F. G., Durand, R. F. & Diaz Taddei, R., 1977. Nautiloideos Ordovicios de la Precordillera Argentina. Fauna de Huaco, Provincia de San Juan. Acta Geologica Lilloana, v.13 (8), 219-244
- Baldis, B. A. & Beresi, M. S., 1981. Biofacies de culminacion del ciclo deposicional calcareo del Arenigiano en el Oeste de Argentina. ANAIS II Congresso Latino-Americano Paleontologia, Porto Alegre, 11-17.
- Baldis, B. A., Beresi, M. S., Bordonaro, O. L., Uliarte, E., 1981. Estromatolitos, trombolitos y formas afines en el limite Cambrico-Ordovicico del Ceste Argentino. ANAIS II Congresso Latino-Americano Paleontología, Porto Alegre, 19-30.
- Beresi, M. S., 1981. Fauna y ambiente en los sedimentos carbonaticos Arenigianos de Talacasto (San Juan). VIII Congreso Geológico Argentino, San Luis, Actas II, 399-417.
- Bergström, S. M. & Mitchell, C. E., 1986. The graptolite correlation of the North American Upper Ordovician Standard. Lethaia, v. 19, 247-266.
- Bolton, T. E., 1986. Chaetitopora (Authozoa, Tabulata) in the Upper Ordovician rocks of central and eastern Canada. In Current research, Part B, Geological Survey of Canada, Paper 86-1B, 107-110.
- Burrett, C. & Goede, A., 1987. Mole Creek a geological and geomorphological field guide. Geological Society of Australia (Tasmanian Division) Guidebook 1, 1-21.
- Burrett, C. & Stait, B., 1986. China and southeast Asia as part of the Tethyan margin of Cambro-Ordovician Gondwanaland. Proceedings of the International Symposium on Shallow Tethys 2, Wagga Wagga, 15-17 Sept., 1986, pp. 65-77.
- Carpenter, R. M., Pandolfi, J. M. & Sheehan, P. M., 1986. The Late Ordovician and Silurian of the Eastern Great Basin, Part 6: The Upper Ordovician Carbonate Ramp. Milwaukee Public Museum, Contributions in Biology and Geology, 69, 1-92.

- Chen Xu, Rong Jiayu, Qin Jinyn, Han Nairen, Li Luozhao & Li Shoujun, 1987.

  Preliminary investigation of the Late Ordovician Strata of Zhuzhai in Yushan of
  Jiangxi, their depositional features and environment. Journal of Stratigraphy
  11, 23-34.
- Cocks, L. R. M. & Fortey, R. A., 1986. New evidence on the South African Lower Palaeozoic: age and fossils reviewed. Geological Magazine 123, 437-444.
- Cooper, B. J., 1986. A record of Ordovician conodonts from the Warburton Basin, South Australia. Quarterly Notes, Geological Survey of South Australia, no. 100, 8-14.
- Cooper, R. A., 1985. Colony design, evolution and classification of the Graptoloidea. In Hornibrook Symposium 1985, extended abstracts, New Zealand Geological Survey. Record 9, 31-33.
- Cooper, R. A. & Bradshaw, M. A., 1986. Excursion 3. Lower Paleozoic of Nelson-Westland. Geological Society of New Zealand. Miscellaneous Publication 33C (Second Edition), 1-42.
- Cooper, R. A. & Lindholm, K., 1985. The phylogenetic relationships of the graptolites Tetragraptus phyllograptoides and Pseudophyllograptus cor. Geologiska Foreningens i Stockholm Forhandlingar 106, 279-291.
- Cowie, J. W., Ziegler, W., Boucot, A. J., Bassett, M. G. & Remane, J., 1986. Guidelines and Statutes of the International Commission on Stratigraphy (ICS). Courier Forschungsinstitut Senckenberg, 83, 1-14.
- Dixon, O. A., 1986. The heliolitid coral Acidolites in Ordovician-Silurian rocks of Eastern Canada. Journal of Paleontology, v. 60, 26-52.
- Dixon, O. A., Bolton, T. E. & Copper, P., 1986. Ellisites, an Upper Ordovician heliolitid coral intermediate between coccoserids and proporids. Palaeontology, 29, 391-413.
- Elias, R. J., 1986a. Symbiotic relationships between worms and solitary rugose corals in the Late Ordovician. Paleobiology 12, 32-45.
- Elias, R. J., 1986b. New Late Ordovician solitary rugose coral with perforate septa. Journal of Paleontology, v. 60, 14-25.
- Elias, R. J. & Buttler, C. J., 1986. Late Ordovician solitary rugose corals preserved in life position. Canadian Journal of Earth Sciences, vol. 23, 739-742.
- Finney, S. C., 1986. Graptolite biofacies and correlation of eustatic, subsidence and tectonic events in the Middle to Upper Ordovician of North America. Palaios, 1, 435-461.
- Fortey, R. A. & Cocks, L. R. M., 1986. Marginal faunal belts and their structural implications, with examples from the Lower Palaeozoic. Journal of the Geological Society of London, v. 143, 151-160.
- Grahn, Y., 1986. Orthocone nautiloid orientations in Arenig and Llanvirn limestones of Öland, Sweden. Geologiski Föreningens i Stockholm Förhandlinar, 108, 321-330.
- Grahn Y. & Bergström, S. M., 1985. Chitinozoans from the Ordovician-Silurian boundary beds in the Eastern Cincinnati region in Ohio and Kentucky. Ohio Journal of Science, 85, 175-183.
- Grahn, Y. & Miller, M. A., 1986. Chitinozoa from the Middle Ordovician Bromide Formation, Arbuckle Mountains, Oklahoma, U.S.A. N. Jb. Geol. Palaont. Abh. 172 (3), 381-403.
- Han Nairen, 1984. The Panderian organs of <u>Nileus nileonis</u> (Trilobita). Acta Palaeontologica Sinica, v. 23, 513-518, pls 1-3.
- Han Nairen, 1986. The mode of development of Cardiograptus intermedius (Mu et Lee) Geological Review, v. 32, 101-107.
- Han Nairen & Li Luozhao, 1985. A study of the thecal morphology of Sinograptus Acta Palaeontologica Sinica, v. 24, 615-617.
- Ji Zailing, 1986. Upper Ordovician (Middle Caradoc-Early Ashgill) trilobites from the Pagoda Formation in South China. Professional Papers of Stratigraphy and Palaeontology, 15, 1-39.

- Johnson, M. E. & Baarli, B. G., 1987. Encrusting corals on a latest Ordovician to earliest Silurian rocky shore, southwest Hudson Bay, Manitoba, Canada. Geology 15, 15-17.
- Kaljo, D., Borovko, N., Heinsaluv, H., Khazanovich, K., Mens, K., Popov, L., Sergeyeva, S., Sobolevskaya, R. R., Viira, V., 1986. The Cambrian-Ordovician boundary in the Baltic-Ladoga Clint area (North Estonia and Leningrad region, USSR). Proceedings of the Academy of Sciences of the Estonian SSR, Geology, 35, 97-108.
- Kalvacheva, R., 1986. Acritarch stratigraphy of the Ordovician System in Bulgaria. Abstract, IGCP Project no. 5: Correlation of Prevariscan and Variscan Events in the Alpine Mediterranean Mountain Belts. Pinal Field Meeting, Sardinia, 25-31 May 1986, 38-43.
- Kobayashi, T., 1986a. Relation between the Ordovician faunas of Asia and Australia. Proceedings of the Japan Academy, v. 62, ser. B, 299-302.
- Kobayashi, T., 1986b. The change of provinciality of the Early Palaeozoic trilobites of South America. Proceedings of the Japan Academy, v. 62, Ser. B, 221-223.
- Kunk, M. J., Sutter, J., Obradovich, J. D. & Lanphere, M. A., 1985. Age of biostratigraphic horizons within the Ordovician and Silurian Systems. In Snelling N. J. (ed.), The Chronology of the Geological Record. Geological Society of London, Memoir no. 10, 89-92.
- Lin Tianrui & Han Nairen, 1986. Middle Ordovician trilobites from Yenwashan Formation of Jiangshan, W. Zhejiang. Acta Palaeontologica Sinica 25, 149-154, 3 pls.
- McCracken, A. D. & Lenz, A. C., 1986. Middle and Late Ordovician conodont faunas and biostratigraphy of graptolitic strata of the Road River Group, northern Yukon Territory. Canadian Journal of Earth Science, v. 24, 643-653.
- McKerrow, W. S., 1986. The tectonic setting of the Southern Uplands. In Fettes, D. J. & Harris, A. L. (eds), Synthesis of the Caledonian Rocks of Britain. D. Reidel Publishing Company, 207-220.
- McKerrow, W. S. & Cocks, L. R. M., 1986. Oceans, island arcs and olistostromes: the use of fossils in distinguishing sutures, terranes and environments around the Iapetus Ocean. Journal of the Geological Society of London, v. 143, 185-191.
- McKerrow, W. S., Lambert, R.St.J. & Cocks, L. R. M., 1985. The Ordovician, Silurian and Devonian periods. In Snelling, N. J. (ed.), The Chronology of the Geological Record. Geological Society of London, Memoir no. 10, 73-80.
- Mitchell, C. E. & Carle, K. J., 1986. The nematularium of Pseudoclimacograptus scharenbergi (Lapworth) and its secretion. Palaeontology 29, 373-390.
- Mu Enzhi, 1987. Candidate for the Cambrian-Ordovician boundary stratotype of Newfoundland. Journal of Stratigraphy 11, 42-47.
- Neuman, B. E. E., 1986. Rugose corals from the Upper Ordovician erratic boulders of Öland. Geologisk Föreningens i Stockholm Förhandlingar, v. 108, 349-365.
- Orth, C. J., Gilmore, J. S., Quintana, L. R. & Sheehan, P. M., 1986. Terminal Ordovician extinction: Geochemical analysis of the Ordovician/Silurian boundary, Anticosti Island, Quebec. Geology, 14, 433-436.
- Pandolfi, J. M., 1985. Late Ordovician and Silurian of the Eastern Great Basin, Part 5. Colonial corals from the Ely Springs Dolomite. Milwaukee Public Museum, Contributions in Biology and Geology, 61, 1-95.
- Parsley, R. L. & Prokop, R., 1984. Echinosphaerites (Rhombifera) and its community relationships from the Middle Ordovician of Bohemia, Czechoslovakia. Proceedings of the Fifth International Echinoderm Conference, Galway, 24-29 Sept., 1984, 166.
- Pek, I. & Prokop, R. J., 1984. New finds of the agnostid trilobites from the Ordovician of the Prague area (Czechoslovakia). Casopis naradniho muzea, 153, 17-24.
- Pratt, B. R. & James, N. P., 1986. The St George Group (Lower Ordovician) or western Newfoundland: tidal flat island model for carbonate sedimentation in shallow epeiric seas. Sedimentology 33, 313-343.

- Prokop, R. J., 1985. Revision of Hypophiura Jaekel 1923 (Ophiuroidea) from the Bohemian Lower Ordovician (Llandeilo). Casopis pro mineralogii a geologii 30, 205-208.
- Racheboeuf, P. R. & Copper, P., 1986. The oldest chonetacean brachiopods (Ordovician-Silurian, Anticosti Island, Quebec). Canadian Journal of Earth Sciences 23, 1297-1308.
- Rohr, D. M. & Potter, A. E., 1987. <u>Rousseauspira</u>: New gastropod operculum from the Ordovician of Alaska and California. <u>Journal</u> of Paleontology, v.61, 284-289.
- Rõõmusoks, A., 1985. The Genera <u>Trigrammaria</u> and <u>Microtrypa</u> (Strophomenidae) in the Ordovician of Baltoscandia. Proceedings of the Academy of Sciences of the Estonian SSR, Geology, v. 34 (4), 133-140.
- Rong Jiayn & Han Nairen, 1986. Preliminary report on Upper Ordovician (mid-Ashgillian) brachiopods from Yushan, north-eastern Jiangxi (Eastern China). In Racheboeuf, P. R. & Emic, C. C. (eds), Les Brachiopodes fossiles et actuels. Biostratigraphie du Paleozoique 4, 485-490 (ISSN: 0295-0146; ISSN: 2-905431-03-2)
- Ross, R. J. Jr. & James, N. P., 1987. Brachiopod biostratigraphy of the Middle Ordovician Cow Head and Table Head groups, western Newfoundland. Canadian Journal of Earth Sciences, v. 24, 70-95.
- Savage, N. M. & Bassett, M. G., 1985. Caradoc-Ashgill conodont faunas from Wales and the Welsh Borderland. Palaeontology, 28, 679-713.
- Schallreuter, R. Ostrakoden aus Öjlemyrflint-Geschieben von Sylt. Vorabdruck aus U. von Hacht: Fossilien von Sylt II, Hamburg, 1-31.
- Seilacher, A., 1985. Trilobite palaeobiology and substrate relationships.

  Transactions of the Royal Society of Edinburgh, Earth Sciences, 76, 231-237.
- Sheehan, P. M., 1986. Late Ordovician and Silurian Carbonate-Platform Margin near Bovine and Lion Mountains, Northeastern Utah. Late Ordovician and Silurian of the Eastern Great Basin, Part 7. Milwaukee Public Museum, Contributions in Biology and Geology, 70, 1-16.
- Sheehan, P. M. & Coorough, P. J., 1986. Brachiopod zoogeography at the terminal Ordovician extinction. Fourth North American Paleontological Convention, Abstracts, (Colorado), p. A42.
- Stillman, C. J., 1986. Ordovician volcanoes in Britain and Ireland. Geology Today, Mar/Apr 1986, 43-47.
- Stitt, J. H. & Miller, J. R., 1987. <u>Jujuyaspis borealis</u> and associated trilobites and conodonts from the Lower Ordovician of Texas and Utah. <u>Journal of Paleontology</u>, v. 61, 112-121.
- Tripp, R. P. & Evitt, W. R., 1986. Silicified trilobites of the Family Asaphidae from the Middle Ordovician of Virginia. Palaeontology, 29, 705-724.
- Wang Xiaofeng € Erdtmann, B.-D., 1986. The earliest Ordovician graptolite seugence from Hunjiang, Jilin province, China. Acta Geologica Sinica 3, 226-236, 3 pls.
- Webby, B. D., 1986a. Biogeographic significance of some Ordovician faunas in relation to East Australian Tasmanide suspect terranes. In E. C. Leitch & E. Scheibner (eds), Geodynamics Ser. 19, Amer. Geophys. Union, Washington, D.C., 103-117.
- Webby, B. D., 1986b. Early stromatoporoids. In A. Hoffman & M. H. Nitecki (eds), Problematic Fossil Taxa. Oxford University Press, New York, pp.148-166.
- Weyer, D., 1985. <u>Dybowskinia rakverensis</u>, a new lambelasmatid coral (Rugosa) from the Middle Ordovician of Estonia. Proceedings of the Academy of Sciences of the Estonian SSR, Geology, v.34 (4), 130-132, 3 pls.
- Williams, S. H., Boyce, W. D. & James, N. P., 1987. Graptolites from the Lower-Middle Ordovician St George and Table Head groups, western Newfoundland, and their correlation with trilobite, brachiopod and conodont zones. Canadian Journal of Earth Sciences, v. 24, 456-470.
- Xiang Liwen & Ji Zailiang, 1986. Upper Ordovician (Ashgill) trilobites from the Linxiang Formation of western Hunan and Eastern Guizhou. Bulletin of the Chinese Academy of Geological Sciences, v.12, 53-66.

- Yin Gongzheng, 1986. Ordovician trilobite succession in Guizhou, China.
  In Geology of Guizhou, no. 4, pt. 9, 410-424. Geological Publishing House,
  Beiling.
- Yin Gongzheng, Gong Lianzan, Cai Ying & Jiao Huiliang, 1984. On the Cambrian-Ordovician boundary in Guizhou of China. Scientific Papers on Geology for International Exchange (1). Prepared for the 27th International Geological Congress, 25-34, 2 pls. Geological Publishing House, Beijing.

# OTHER NEWS

- From the <u>Annual Report for 1986 of the International Commission of</u> Stratigraphy (ICS)
- a. M. G. Bassett and A. R. Berger are currently organizing a time scale entitled "ICS Global Standard Stratigraphic Scale" down to Stage/Age. A draft should be available shortly, and full publication before the Washington I.G.C. in 1989.
- b. A revised second edition of International Stratigraphic Guide (ISG) is now in preparation. It is hoped that its publication will further contribute towards clarifying 'principles of stratigraphic proceedure and unification of stratigraphic nomenclature'.
- 2. From IGCP 216 (Bio-events) project circular 1987/3, O. H. Walliser reports
  (i) that a third International Conference of the project IGCP 216 will be held at Boulder, Colorado, USA from 15-21 May 1988 entitled "Abrupt changes in the global biota" (organizer Erle G. Kauffman, Dept of Geol. Sci., Univ. of Colorado Campus Box 250, Boulder, Co 80309), and (ii) work of this group will also be included in separate session at the Fifth International Symposium on the Ordovician System in St. John's, Newfoundland in August 1988. A working group has been established as part of the activities of IGCP 216, to consider the 'Ordovician-Silurian boundary event'. C. R. Barnes is leader of this project work. There will also be special symposia planned for inclusion in sessions 85, B10 and L7 of the Washington IGC in 1989.
- 3. Silurian Subcommission activities. D. Kaljo (Chairman of SSS) reports that

  (i) a successful field meeting was held in south-eastern Australia from
  16-29 August 1986; and (ii) that the Subcommission plans to compile a global correlation chart containing the most typical well studied reference sequences for each region (basin etc.) while at the same time showing change of facies. Hopefully this Silurian chart will be ready for presentation at the next Silurian Symposium in 1989.
- 4. Additional note. In the general discussion of the Silurian meeting in

  Australia it was mentioned that a problem existed in the hierarchy of

  stratigraphic divisions between the Silurian and the Devonian, and that it

  was thought that the hierarchy should be harmonized. The problem is that

  the Silurian (and the Ordovician for that matter) is based on four named

  series rank divisions (Llandovery, Wenlock etc.) while the Devonian is based

  on a three-fold informal (Lower, Middle and Upper) and stage-rank named

  divisions with -ian terminations (Givetian, Famennian etc.). It was

  suggested that perhaps the Silurian should have a two-fold Lower and Upper

  informal Silurian subsystem (or series) division which might be equivalent

to the informal three-fold Lower, Middle and Upper Devonian subsystem (or series) division. It should be a matter for the Subcommissions to harmonize this hierarchy. And there is the ancillary need for Ordovician workers to consider this problem in the light of the need for consistency of usage in naming Series - should British views that our series names (e.g. Caradoc, Ashgill etc.) not have -ian terminations be adopted, or not?

5. Th addition to an Institute of Cambrian Studies reported in the last issue of ORDOVICIAN NEWS, there is now a <u>Devonian Institute</u> based on the Alaska Pacific University, 410 University Drive, Anchorage, Alaska 99508, with a journal (or newsletter) called the 'Devonian Times' edited by Skip Roy.

# REQUEST FORM FOR "SECOND CIRCULAR" FIFTH INTERNATIONAL SYMPOSIUM ON THE ORDOVICIAN SYSTEM

# AUGUST 9-12, 1988, ST. JOHN'S, NEWFOUNDLAND, CANADA PLEASE CHECK APPROPRIATE BOXES INDICATING YOUR PREFERENCE

the symposium.
no maybe
esidenceaccommodation
, and/or a publication
offer a manuscript for publication
p emphasizing Avalon-Gander zones classics Dunnage Zone volcanic ates/tosals, Humber Zone ophiolises and volcanics
GIVEN IFIRSTI NAME

Mail Request Form to-

Dr. C.R. Barnes, Y Ordovician System Symposium.
Department of Earth Sciences,
Memorial University of Newfoundland,
St. John's, Newfoundland, A1B 3X5, Canada.